

inspirational oak collection

175

CELEBRATING
OVER 175 YEARS OF
QUALITY & VALUE



SOLID OAK MOULDINGS • PSE SECTIONS • INTERNAL DOORS • FLOORING...

 **HOWARTH TIMBER
& BUILDING SUPPLIES**



Oak is the nation's favourite timber species. Its inherent qualities - appearance, longevity, durability and stability - also make it one of the most versatile. With over 170 years of trading experience, and a wealth of product knowledge, Howarth Timber & Building Supplies is pleased to bring you a range of specially selected oak products.

Celebrating the natural beauty and qualities of oak, the Inspirational Oak Collection from Howarth Timber & Building Supplies offers a collection of products including prepared timber, mouldings, flooring, internal doors and stair parts.



Solid oak PSE sections

Page 04

Solid oak mouldings

Page 06




Twintrim mouldings

Page 08

Oak door linings

Page 10



Creative finishes

Page 12

Beautiful oak flooring

Page 14



Oak stair parts

Page 15

Quality oak interior doors

Page 16



High quality planed square edged sections



Howarth Timber & Building Supplies' planed square edge sections range is manufactured to the highest standards of workmanship. Supplied unfinished in American White Oak, enabling you to finish to your own personal preference of colour and sheen.

With a bespoke machining service and choice of further species*, whatever your project requirements, you can be sure of Howarth Timber & Building Supplies' renowned reliability and customer service.

*Available to order. Minimum quantities may apply.



Solid oak PSE / 12 x 25mm

Finished size 9mm (T)hick x 20mm (W)ide

For pack sizes contact your nearest branch



Solid oak PSE / 12 x 50mm

Finished size 9mm (T)hick x 44mm (W)ide

For pack sizes contact your nearest branch



Solid oak door stop / 16 x 38mm

Finished size 12mm (T)hick x 32mm (W)ide

For pack sizes contact your nearest branch




Solid oak PSE / 25 x 50mm

Finished size 20mm (T)hick x 44mm (W)ide
For pack sizes contact your nearest branch




Solid oak PSE / 50 x 100mm

Finished size 44mm (T)hick x 94mm (W)ide
For pack sizes contact your nearest branch



Solid oak PSE / 25 x 150mm

Finished size 20mm (T)hick x 144mm (W)ide
For pack sizes contact your nearest branch



Solid oak PSE / 25 x 225mm

Finished size 20mm (T)hick x 220mm (W)ide
For pack sizes contact your nearest branch



Solid oak mouldings

Howarth Timber & Building Supplies architrave, skirting and casings range is manufactured to the highest standards of workmanship. Supplied unfinished in American White Oak, enabling you to finish to your own personal preference of colour and sheen.

We also appreciate that sometimes you will want a product to differentiate your home from the crowd. With the latest machining and finishing lines at our disposal we can help you meet those needs. Special moulding profiles, stains, oils and lacquered finishes are all options* which can be provided to specification or budget.

For further information please ask your local branch for details.

*Bespoke machining and finishing is available to order. Minimum quantities may apply.



White oak quadrant / 16mm / 2.4m

16mm (T)hick x 16mm (W)ide
Sold in 2.4m lengths



White oak scotia / 19mm / 2.4m

19mm (T)hick x 19mm (W)ide
Sold in 3m lengths





Solid oak architrave / Ogee

A high quality architrave in the ever popular Ogee style. Suitable for a range of situations.

25mm (T)hick x 75mm (W)ide

Finished size 20mm (T)hick x 69mm (W)ide

For pack sizes contact your nearest branch



Solid oak architrave / Torus

A high quality architrave in the ever popular Torus style. Suitable for a range of situations.

25mm (T)hick x 75mm (W)ide

Finished size 20mm (T)hick x 69mm (W)ide

For pack sizes contact your nearest branch



Solid oak skirting / Torus & Ogee dual purpose



A highly flexible solution featuring two of our most popular profiles, Ogee and Torus, in a single run.

Suitable for a wide selection of interiors, styles and situations - from domestic to commercial.

25mm (T)hick x 125/175mm (W)ide

Finished size 20mm (T)hick x 119/169mm (W)ide

For pack sizes contact your nearest branch



Torus profile

Ogee profile

Twintrim solid oak mouldings

Howarth Timber & Building Supplies is proud to introduce the new Twintrim range of mouldings, manufactured to the highest standards of workmanship in either hardwood or softwood. Supplied unfinished, enabling you to finish to your own personal preference of colour and sheen!

*Bespoke machining and finishing is available to order. Minimum quantities may apply.



Twintrim oak architrave / Classic


A high quality architrave in a classic profile style. Suitable for a range of situations.

25mm (T)hick x 75mm (W)ide

Finished size 20mm (T)hick x 69mm (W)ide

For pack sizes contact your nearest branch





Twintrim oak architrave / Modern

A high quality architrave in our exclusive new modern profile style.

25mm (T)hick x 75mm (W)ide
Finished size 20mm (T)hick x 69mm (W)ide
 For pack sizes contact your nearest branch



Twintrim oak skirting / Classic & Modern dual purpose



A highly flexible solution featuring two profiles, Classic and Modern, in a single run.

Suitable for a wide selection of interiors, styles and situations - from domestic to commercial.

25mm (T)hick x 125/175mm (W)ide
Finished size 20mm (T)hick x 119/169mm (W)ide
 For pack sizes contact your nearest branch

Modern profile



Classic profile

Adjustable oak door linings

NEW FOR 2013/14

*The easy to fit,
fully adjustable
door lining solution*

These fully adjustable oak veneered door lining kits offer an affordable, easy-to-fit solution to the challenge of upgrading your door linings to match the many beautiful real oak doors now available on the market.

The door linings can be adjusted to fit all standard sized doors and varying wall widths. They feature simple installation and a real wood veneer letting you paint, stain or varnish to match your doors.



Scan the code for information, installation videos, helpful tips and more.



20 minute assembly!

No careful measuring required - adjustable to fit any standard size door (height, width and wall width)

Off the shelf availability. No waiting weeks for bespoke door linings to be manufactured

A quality upgraded finish rather than simple white painted softwood linings

No rip sawing, no planing, no sanding down, no making good...

Invisible fixings

Perfect professional finish every time

Real White Oak on solid MDF base

Made to suit traditional 35mm doors, in sizes allowing adjustment to meet wall widths from:

90mm to 104mm

104mm to 138mm

139mm to 173mm

Also available in FD30 rating, details and prices available upon request.

ALSO AVAILABLE

Solid oak door linings can be used with our PSE oak door stops, shown on page four, for either standard internal doors or with intumescent groove for 30 minute fire doors.

Additionally, should you require a fully rebated solid oak door casing, these are also available to order.

Please contact us to discuss your exact requirements.




Solid oak door lining

High quality solid oak door lining.

38mm (T)hick x 150mm (W)ide
Finished size 32mm (T)hick x 144mm (W)ide
Groove: 15mm x 4mm

For pack sizes contact your nearest branch



Unleash creativity!

One-colour

A hard wax oil finish available in colours which allow the grain to show ensuring a natural looking product with a matt finish.



Castle Brown



Natural



Pure



Super White



Walnut



GrisBelge

DON'T FORGET - LIGHT AND HEAVY BRUSHING IS AVAILABLE TO ENHANCE THE GRAIN EVEN FURTHER!

Many more one-colour options available.
Please contact us for details.

Colours are printed as accurately as the print process will allow. Please request a sample.

Now you can specify the exact finish you're looking for from your skirting, architraves, door linings and flooring*

*Minimum quantities may apply. Please ask for details.

Two-colour

A pre-colour is applied before the top colour to create a more solid colour with more depth. Ideal when a more subtle grain effect and a neutral product is required with less variation.



Alpaca White + White



Intense Black + Black



Intense Black + White



Nordic White + White



Vintage Brown + Black



Smoked Brown + Pure

DON'T FORGET - LIGHT AND HEAVY BRUSHING IS AVAILABLE TO ENHANCE THE GRAIN EVEN FURTHER!

Many more two-colour options available. Please contact us for details.

Bespoke

The ultimate in creativity!

Select from an almost limitless variety of effects, including two tone/aged/solid/satin/deep grain and many more.

Perfect for creating old washed/distressed effects from new oak!

Add the finishing touch and choose either light or heavy brushing to really enhance the natural grain.

OUR BESPOKE OPTION MEANS THE SKY'S THE LIMIT!

Please contact us to make your visions a reality!



We have the following unfinished flooring options available.

Block core construction: 14/3/189x1860mm
Multiply construction: 18/4x150xRDMmm
18/4x189x1860mm

All these products are mixed rustic grade, with a GO4 bevel detail. Please ask for details.

beautiful oak flooring

A collection of truly beautiful oak floors, chosen with you and your family in mind. Our floors are both traditional and innovative in design, with modern colour decors offering a wide choice of quality finishes to pick from.

Expertly machined from ethically sourced rustic grade European Oak, which is lively and full of character. The high quality finishes ensure durability and an excellent final appearance which will last for years to come.



Oak Trademark stair balustrade

Chosen and tested by professionals = the right choice for you

An unbelievable selection of options and designs to make your stair balustrade as individual as you and your home are. Mixing and matching styles of spindles, newels and caps can add even more choice!

Engineered oak flooring / 20mm x 189/191mm Brushed & Oiled or Lacquered

6mm real wood wear layer | Wide plank finish | Durable multiply
Low maintenance | 20mm thick, 189/191mm wide | 1900mm lengths
25 year manufacturers warranty for domestic use

Engineered oak flooring / 14mm x 127mm Brushed & Oiled or Lacquered

3mm real wood wear layer | Low maintenance | Underfloor heating compatible
14mm thick, 127mm wide | 300-1200mm lengths | 1.829 sqm pack size
15 year manufacturers warranty for domestic use

White oak baserail



White oak square newel cap



White oak handrail



White oak pyramid newel cap

White oak square newel



White oak stop chamfered newel



White oak plain baluster



quality oak interior doors

A range of stunning traditional and contemporary interior doors, supplied in their natural state for finishing with lacquer or stain as desired.

Offering a premium engineered oak door, with full FSC® Chain of Custody, at an affordable price. The range includes factory-fitted oak veneers, toughened clear bevelled edge panes and is manufactured using solid timber components for stability.



- High quality oak veneered feature doors
- Manufactured using solid timber components for stability
- Supplied unfinished for flexible on-site lacquering or staining
- Raised and fielded panels with timber and face veneer construction
- Clear bevelled edge glass, toughened to BS6206 / BSEN12600
- Paint and peel glass
- Full FSC® Chain of Custody certification

Interior doors / Somerset oak 4 panel

Available in a wide range of sizes:

838 x 1981 x 35mm (2' 9" x 6' 6")

762 x 1981 x 35mm (2' 6" x 6' 6")

686 x 1981 x 35mm (2' 3" x 6' 6")

610 x 1981 x 35mm (2' 0" x 6' 6")



Interior doors / Somerset oak 6 panel

Available in a wide range of sizes:

838 x 1981 x 35mm (2' 9" x 6' 6")

762 x 1981 x 35mm (2' 6" x 6' 6")

686 x 1981 x 35mm (2' 3" x 6' 6")

All images are illustrative only. Colours are a guide only and as accurate as the print process will allow.

Interior doors / Somerset oak country

Available in a wide range of sizes:

838 x 1981 x 35mm (2' 9" x 6' 6")

762 x 1981 x 35mm (2' 6" x 6' 6")

686 x 1981 x 35mm (2' 3" x 6' 6")



Interior doors / Somerset oak 2 light

Available in a wide range of sizes:

838 x 1981 x 35mm (2' 9" x 6' 6")

762 x 1981 x 35mm (2' 6" x 6' 6")

686 x 1981 x 35mm (2' 3" x 6' 6")

Interior doors / Somerset oak 8 light

Available in a wide range of sizes:

838 x 1981 x 35mm (2' 9" x 6' 6")

762 x 1981 x 35mm (2' 6" x 6' 6")

686 x 1981 x 35mm (2' 3" x 6' 6")



The perfect finish, every time *A one-stop, one-coat solution!*

Rubio Monocoat is a one-coat finish with a difference. With only natural components Rubio Monocoat is perfect for use with engineered internal doors, where a bonded surface veneer is part of the construction. Unlike other finishing products Rubio Monocoat will not affect the bonding agent used on the veneer avoiding any bubbling or splitting.

A quick and simple solution, one-coat does the job and can easily be applied by brush, cloth or sponge. Touch dry within 20 minutes and fully cured within 24-36 hours, Rubio Monocoat makes adding that finishing touch to your doors straightforward.

Rubio Monocoat can be used for all skirting and architraves, as well as both internally and externally – the one-stop, one-coat application.

8 modern shades

**Multi-purpose -
perfect for skirting,
doors, architraves...**

**Use internally
& externally**


**Molecular
technology**

Easy to apply

Economical

Eco-friendly

**Conforms to
all standards**



Ask for it in branch today!

THE UK'S LARGEST PRIVATELY OWNED AND OPERATED TIMBER
GROUP WITH BRANCHES LOCATED NATIONWIDE

NORTH WEST

Accrington	0330 119 3269	sales.accrington@howarth-timber.co.uk	BB5 0DN
Ashton	0330 119 3189	sales.ashton@howarth-timber.co.uk	OL7 0AG
Blackburn	0330 119 3239	sales.blackburn@howarth-timber.co.uk	BB1 3EE
Burnley	0330 119 3229	sales.burnley@howarth-timber.co.uk	BB10 1RZ
Bury	0330 119 3219	sales.bury@howarth-timber.co.uk	BL9 6AQ
Darwen	0330 119 3259	sales.darwen@howarth-timber.co.uk	BB3 2ES
Manchester	0330 119 3199	sales.manchester@howarth-timber.co.uk	M4 5HD
Oldham	0330 119 3179	sales.oldham@howarth-timber.co.uk	OL1 3LJ
Rochdale	0330 119 3209	sales.rochdale@howarth-timber.co.uk	OL16 2AA
Sale	0330 119 3169	sales.sale@howarth-timber.co.uk	M33 6LB

YORKS & Lincs

Barnsley	0330 119 2599	sales.barnsley@howarth-timber.co.uk	S75 2BL
Bradford	0330 119 2489	sales.bradford@howarth-timber.co.uk	WF15 8ER
Brighouse	0330 119 2419	sales.brighouse@howarth-timber.co.uk	HD6 1PE
Dewsbury	0330 119 2499	sales.dewsbury@howarth-timber.co.uk	WF13 2AF
Grimsby	0330 119 2559	sales.grimsby@howarth-timber.co.uk	DN32 9BA
Harrogate	0330 119 3139	sales.harrogate@howarth-timber.co.uk	HG1 4AU
Leeds	0330 119 3119	sales.leeds@howarth-timber.co.uk	LS9 0RA
Malton	0330 119 3129	sales.malton@howarth-timber.co.uk	YO17 6BT
Scunthorpe	0330 119 2549	sales.scunthorpe@howarth-timber.co.uk	DN15 6XH
Thorne	0330 119 2539	sales.thorne@howarth-timber.co.uk	DN8 5DY
Wakefield	0330 119 2589	sales.wakefield@howarth-timber.co.uk	WF1 5DW
York	0330 119 3159	sales.york@howarth-timber.co.uk	YO26 4ZH

MIDLANDS

Corby	0330 119 2639	sales.corby@howarth-timber.co.uk	NN18 8ET
Derby	0330 119 2629	sales.derby@howarth-timber.co.uk	DE1 3QT
Mansfield	0330 119 2619	sales.mansfield@howarth-timber.co.uk	NG19 7JG
Newcastle	0330 119 2569	sales.newcastle@howarth-timber.co.uk	ST5 1AW

LONDON & SOUTH EAST

Dartford	0330 119 2459	sales.dartford@howarth-timber.co.uk	DA1 1BN
London	0330 119 2429	sales.london@howarth-timber.co.uk	SE4 2LY
Tottenham	0330 119 2469	sales.tottenham@howarth-timber.co.uk	N17 6RA

HOWARTH GREENHOUSE

Rochdale	01706 356 230	greenhouse@howarth-timber.co.uk	OL16 2AA
----------	---------------	---------------------------------	----------

HOWARTH TIMBER ENGINEERED SOLUTIONS

Ashton	0161 339 4581	ashton_enquiry@howarth-timber.co.uk	OL7 0AG
Brighton	01757 288 300	brighton_enquiry@howarth-timber.co.uk	YO8 6LY
Bury St. Edmunds	01284 772 700	buryse_enquiry@howarth-timber.co.uk	IP32 7QW
Fairford	01285 711 600	fairford_enquiry@howarth-timber.co.uk	GL7 4DS

HOWARTH WINDOWS & DOORS

New Holland	01469 530 577	windowsanddoors@howarth-timber.co.uk	DN19 7RT
-------------	---------------	--------------------------------------	----------

For further information email:
info@howarth-timber.co.uk

Visit our comprehensive website:
www.howarth-timber.co.uk