



**HOWARTH
TIMBER &
BUILDING
SUPPLIES**

SOLID WOOD INTERNAL MOULDINGS

A range of solid wood internal mouldings manufactured to the very highest standards of workmanship. Covering standard and bespoke architraves, skirtings, casings, windowboards, flooring plus finishing, aftercase and accessories





**HOWARTH
TIMBER &
BUILDING
SUPPLIES**

TIMBER QUALITY SINCE 1840

The Howarth Timber Group has been established for over 165 years' and has built a reputation for industry experience, product quality and service. The UK's largest privately owned and operated timber group, the company is committed to worldwide environmental policies and is a founder member of the Forests Forever Campaign, encouraging the use of sustainable resources.

A complete service

With customers ranging from the local builder and renovator to major national house builders, Howarth Timber & Building Supplies is uniquely qualified to meet your moulding requirements.

Through several dedicated timber engineering and manufacturing divisions and a nationwide network of 28 branches, Howarth Timber & Building Supplies offers a complete timber service from importing, engineering, and merchanting, to timber frame, roof truss, and timber window manufacture.

A complete internal mouldings range

The Howarth Timber & Building Supplies internal mouldings manufacturing site at Dewsbury is fully computerised and you will find our customer service second to none. Added to our expertise and technology, you will find Howarth Timber & Building Supplies to be the best all round choice for internal mouldings.

The growth in popularity of solid oak internal mouldings has led to great demand from all construction sectors - private, commercial, and the public sector. High quality solid oak internal mouldings can be found in hotels, leisure facilities, hospitals and schools, whether in older buildings lovingly restored to original plans, or in modern design-led and ecologically friendly developments.

The range is produced at the Howarth Timber & Building Supplies Dewsbury production facility, both to standard and bespoke specifications. Manufactured from American White Oak, carefully chosen for its excellent qualities, Howarth Timber & Building Supplies internal mouldings are profiled using high speed moulding machinery, ensuring a premium product.

Standard Profiles

A comprehensive range of standard internal mouldings is available to a consistent and quality assured finish. Our production processes deliver minimal wastage with no rejects.

Bespoke Profiles†

Based on years of experience, Howarth Timber & Building Supplies specialises in creating bespoke solutions to precise specifications.

A computer-controlled cutting machine allows precision cutting to any width desired, providing a truly bespoke service. Whether you are looking for a traditional profile to match a period interior, or a completely new design for a modern housing estate, our staff work with you to create the exact style you need.

American White Oak - the long lasting option

American White Oak features highly attractive grain and colour qualities. With superior durability and strength, American White Oak is ideal for flooring and skirting where resistance to damage from foot traffic is required.

Easy to work, the timber takes nails and screws well and can be glued, stained and polished as required.

The Howarth Timber & Building Supplies internal mouldings range is available in FSC/PEFC certified American White Oak to order.

The widest choice of species†

A comprehensive selection of further species are available to order, manufactured to our standard profile range or bespoke to meet your own individual requirements. For more information please turn to page 07.

†Please note that minimum order quantities may apply.

Despite advances in technology and the development of hundreds of man-made products, wood remains one of the most sought after materials available.



Committed to the environment

Howarth Timber & Building Supplies has achieved Chain of Custody* certification covering all of the Company's divisions, providing compliance with government specifications for timber from legal and well-managed sources as well as meeting the requirements of the construction industry's independent third party audit organisations.



By buying products with the FSC label you are supporting the growth of responsible forest management worldwide. The global benchmark for responsible forest management.



*Should achieving Chain of Custody certification be a condition of supply of product please contact your local branch of Howarth Timber & Building Supplies to confirm prior to purchase. Note. All information is accurate at time of going to press. Photography and colours are reproduced as accurately as the print process will allow. The Howarth Timber & Building Supplies internal mouldings range is available in FSC/PEFC certified American White Oak to order.

SOLID OAK ARCHITRAVES, SKIRTING AND CASINGS

Howarth Timber & Building Supplies architrave, skirting and casings range is manufactured to the highest standards of workmanship. Supplied unfinished in American White Oak, enabling you to finish to your own personal preference of colour and sheen.

With a bespoke engineering service and choice of further species, whatever your project requirements, you can be sure of Howarth Timber & Building Supplies renowned reliability and customer service.



By buying products with the FSC label you are supporting the growth of responsible forest management worldwide.



PEFC 16-37-361 TT-PEFC-0115

The Howarth Timber & Building Supplies internal mouldings range is available in FSC/PEFC certified American White Oak to order.

ARCHITRAVES



Solid Oak architraves / **Torus**

A high quality architrave in the traditional Torus style. Suitable for a range of situations.

Sizes available:

25mm (T)hick x 75mm (W)ide

For pack sizes contact your nearest branch



Solid Oak architraves / **Ogee**

A high quality architrave in the ever popular Ogee style. Suitable for a range of situations.

Sizes available:

25mm (T)hick x 75mm (W)ide

For pack sizes contact your nearest branch



Solid Oak architraves / **Regal**

New for 2008, Regal architraving can add a touch of sophistication to any interior.

Sizes available:

25mm (T)hick x 75mm/100mm (W)ide

For pack sizes contact your nearest branch



NEW profile for 2008

All sizes shown are nominal. Products supplied unfinished to allow finishing to your individual specifications. Images shown are representative only and may differ from actual product received. Subject to stock availability at the time of order.

SKIRTING



NEW profile for 2008



Regal / Solid Oak skirting

A bold and dramatic statement. Regal skirting complements any style of interior.

Sizes available:

25mm (T)hick x 125/175mm (W)ide

For pack sizes contact your nearest branch



Torus & Ogee Dual Purpose / Solid Oak skirting

A highly flexible solution featuring two of our most popular profiles, Ogee and Torus in a single run.

Suitable for a wide selection of interiors, styles and situations - from domestic to commercial.

Sizes available:

25mm (T)hick x 125/175mm (W)ide

For pack sizes contact your nearest branch



Torus profile

Ogee profile



Torus profile

Ogee profile

DOOR CASINGS, LININGS AND WINDOW BOARD

Solid Oak door lining and stop

High quality solid oak door lining and stops. Manufactured to your exact requirements.

Lining sizes available:
To your exact requirements

Stop sizes available:
19mm thick x 38mm wide



Solid Oak window board

A complete selection of windowboards are available, in sizes to suit your requirements.

Sizes available:

25mm thick x 200/225/250mm wide



Solid Oak door casing

With standard internal rebate and available manufactured to your exact requirements.

Sizes available:
38mm (T)hick x 100/115/125/140/150/175mm (W)ide



Solid Oak fire check casing

Rebated to take an FD30 fire check door and including groove for intumescent strip.

Sizes available:
50/63mm (T)hick x 100/115/125/140/150/175mm (W)ide



All door casings, linings and stops can be manufactured to meet your own individual rebate size and dimension requirements. Subject to dimensions on fire check casings meeting BWF regulations. Contact us for further information.



Bespoke profiles and further species available, ask for details



Solid Wood Internal Mouldings 05

TRANSFORM ANY INTERIOR WITH SOLID OAK FLOORING

Howarth Timber & Building Supplies flooring range offers a truly superior flooring product. Available in two grades, rustic or prime - perfect for any interior be it domestic or commercial.

Manufactured from carefully chosen, 100% solid American White Oak noted for its durability and strength with a selection of other fine woods and finishes available to order. The range is ideal for even the most demanding of situations.

The Howarth Timber & Building Supplies internal mouldings range is available in FSC/PEFC certified American White Oak to order.



By buying products with the FSC label you are supporting the growth of responsible forest management worldwide.
FSC
FSC SUPPLIER
TT-COC-1973



PEFC
PEFC/16-37-361
TT-PEFC-0115

FLOORING

Solid Oak flooring / 150mm / 200mm widths

Manufactured to the highest standards of workmanship with wide selection of fine woods and finishes available as standard. A bespoke engineering service is available for even the most exclusive projects.

Sizes available:

25mm thick x 150mm wide (140mm laid) x random (2.1 metre minimum) lengths

25mm thick x 200mm wide (190mm laid) x random (2.1 metre minimum) lengths

Available with square shoulder or micro-bevelled edge. Other sizes also available on request.



Ferrands Arms



Baja Beach Club

Howarth Timber & Building Supplies hardwood flooring was specified for one of the distinctive 'lifestyle-themed' bars in the city centre of Leeds. The Baja Beach Club has been fitted with 650 sqm of American White Oak Flooring incorporating three different widths. The widths were fitted in a random pattern, creating a rustic look in keeping with the venue's theme. The flooring was installed across two floors incorporating a nightclub, bar and restaurant.

A healthier solution

There has been a great deal of research over the years into the link between allergies, asthma and carpets. According to the National Asthma Campaign, the most common trigger for this is the house dust-mite. A study by the University of Southampton, Allergic Diseases and Indoor Environment Department in 2000, discovered that every square metre of

carpet can harbour 100,000 dust mites. Add to this the additional germs which develop and breed when dirt and spillage occurs. By choosing a real wooden, engineered or laminated floor, significant reductions in allergies can be achieved. As the National Asthma Campaign states, one way to reduce your exposure is to 'Consider Replacing Carpets.'



All sizes shown are nominal. Products supplied unfinished to allow finishing to your individual specifications. Images shown are representative only and may differ from actual product received. Subject to stock availability at the time of order.

LIMITLESS OPTIONS

A comprehensive selection of species are available in either standard or bespoke profiles, to meet your own individual requirements.

With such a wide variety of internal doors and flooring available on the market today it can be increasingly difficult to find moulding profiles to match. Howarth Timber & Building Supplies bespoke machining service can supply any possible profile, in a range of species, to meet your own particular requirements.

Profiles available include PSE, matchboard, weatherboard, pencil round, chamfered, lambs tongue, thresholds, hardwood decking, plus many more.

The only limit is your own imagination, a selection of species are available to enhance and complement any situation - a brief guide is featured below.

Dark coloured woods such as Cherry and Sapele with their dark brown to almost black tones are great for defining spaces. They can add warmth and richness to a room but can also darken with time. Other timbers which create the same warmth and feeling are American Walnut and Wenge/Panga Panga.

Cherry Pale, pinkish brown, darkens somewhat on exposed light. The grain is straight and fine and even texture. A very decorative wood especially in mid grades.

American Walnut Growing in popularity, a rich dark brown timber, deepening in colour with age. More uniform in colour than European Walnut. The grain is sometimes wavy or curly with a rather coarse texture.

Sapele A naturally dark reddish brown wood with a beautiful grained pattern which will enhance the beauty of any room.

Medium coloured woods. From the golden tones of oak to the rich reddish browns of red oak and beech, medium coloured wooden flooring will add warmth to most areas and will suit most décor finishes.

Beech White to plain brown, occasionally with a dark coloured core. One of the strongest European timbers. Usually heavy and straight grained and of a plain appearance. Quickly takes up any excess moisture from the surrounding environment and care needs to be taken to prevent stains.

American Red Oak Resembles other oaks in appearance but heartwood usually has a reddish tinge. Coarse in texture and has a less attractive silver grain than American White Oak. Considered inferior to American white oak for certain uses, however it is ideal and very popular for flooring.

European Oak One of the most widely used timbers in the UK, providing strong robust decorative furniture, fascias, doors and flooring. Renowned for its durability and decorative appearance, oak makes an ideal floor.

Iroko A very strong durable timber of attractive appearance and small movement. Colour varies from pale yellow to dark brown and darkens on exposure to light. This valuable structural timber is ideal for flooring.

The lighter wood species such as Birch and Ash with their blonde tones are ideal for creating a light, bright and spacious feeling in smaller areas and are great for showing off dark furnishings to their best effect.

Ash White to light brown, occasionally with irregular dark streaks. Coarse grained texture, fairly straight, however a decorative effect is achieved when plain sawn. Good quality Ash is outstanding for toughness.

Birch Curly grained and strongly figured. Sometimes marketed as white or red birch, colour varies from light to reddish brown. As flooring it is highly resistant to wear.

Canadian Maple Creamy white with a reddish tinge. Less expensive grades have dark brown markings. Grain is usually straight and of a fine even texture. A timber with good strength properties and resistant to wear it makes a good floor.

For further details on the range of species and finishes available please contact your local Howarth Timber & Building Supplies who will be happy to assist.



Cherry

American Walnut

Sapele

Wenge / Panga Panga

Beech

American Red Oak

Iroko

Ash

Birch

Canadian Maple



Howarth Timber, the UK's largest privately owned and operated timber group with branches located nationwide

HOWARTH TIMBER & BUILDING SUPPLIES

NORTH WEST

Accrington	01254 380 500	sales.accrington@howarth-timber.co.uk	BB5 0DN
Ashton	0161 330 1634	sales.ashton@howarth-timber.co.uk	OL7 0AG
Blackburn	01254 699 696	sales.blackburn@howarth-timber.co.uk	BB1 3EE
Burnley	01282 426 241	sales.burnley@howarth-timber.co.uk	BB10 1RZ
Bury	0161 761 6416	sales.bury@howarth-timber.co.uk	BL9 6AQ
Darwen	01254 873 552	sales.darwen@howarth-timber.co.uk	BB3 2ES
Manchester	0161 834 8505	sales.manchester@howarth-timber.co.uk	M4 5HE
Oldham	0161 620 2128	sales.oldham@howarth-timber.co.uk	OL1 3LJ
Rochdale	01706 710 962	sales.rochdale@howarth-timber.co.uk	OL16 2AA
Sale	0161 973 9578	sales.sale@howarth-timber.co.uk	M33 6LB

YORKS & Lincs

Barnsley	01226 289 494	sales.barnsley@howarth-timber.co.uk	S75 2BL
Bradford	01274 871 411	sales.bradford@howarth-timber.co.uk	WF15 8ER
Dewsbury	01924 462 186	sales.dewsbury@howarth-timber.co.uk	WF13 2AF
Grimsby	01472 361 621	sales.grimsby@howarth-timber.co.uk	DN32 9BA
Leeds	0113 2000 100	sales.leeds@howarth-timber.co.uk	LS9 0RA
Malton	01653 697 776	sales.malton@howarth-timber.co.uk	YO17 6BT
Richmond	01748 850 600	sales.richmond@howarth-timber.co.uk	DL10 4SX
Scunthorpe	01724 860 325	sales.scunthorpe@howarth-timber.co.uk	DN15 6XH
Thorne	01405 813 515	sales.thorne@howarth-timber.co.uk	DN8 5DY
Wakefield	01924 372 291	sales.wakefield@howarth-timber.co.uk	WF1 5DW
York	01904 629 931	sales.york@howarth-timber.co.uk	YO26 4ZH

MIDLANDS

Corby	01536 407 079	sales.corby@howarth-timber.co.uk	NN18 8ET
Derby	01332 360 233	sales.derby@howarth-timber.co.uk	DE1 3QT
Mansfield	01623 624 455	sales.mansfield@howarth-timber.co.uk	NG19 7JG
Newcastle	01782 715 900	sales.newcastle@howarth-timber.co.uk	ST5 1AW

LONDON & SOUTH EAST

Dartford	01322 286 844	sales.dartford@howarth-timber.co.uk	DA1 1BN
London	020 8691 6237	sales.london@howarth-timber.co.uk	SE4 2LY
Tottenham	020 8808 4337	sales.tottenham@howarth-timber.co.uk	N17 6RA

HOWARTH TIMBER ENGINEERING

Ashton	0161 339 4581	ashton@howarth-te.com	OL7 0AG
Brighton	01757 288 300	brighton@howarth-te.com	YO8 6LY
Bury St. Edmunds	01284 772 700	bury@howarth-te.com	IP32 7QW
Cramlington	0191 300 1424	cramlington@howarth-te.com	NE23 7RY
Huddersfield	01484 513 377	huddersfield@howarth-te.com	HD1 3UN

HOWARTH WINDOWS & DOORS

New Holland	01469 530 577	windows&doors@howarth-timber.co.uk	DN19 7RT
-------------	---------------	------------------------------------	----------



**Howarth Timber &
Building Supplies Dewsbury**
Hirst Mills, Hirst Road, Dewsbury WF13 2AF
Tel. **01924 462 186** Fax. **01924 459 879**

For further information email:
info@howarth-timber.co.uk
Visit our comprehensive website:
www.howarth-timber.co.uk



**HOWARTH
TIMBER &
BUILDING
SUPPLIES**