





dēanta

DEANTA.CO.UK

OAK



WALNUT



WHITE PRIMED



ABACHI & GREY ASH



ARCHITECTURAL FLUSH DOORS





## CONTENTS

P.006 - P.007	<b>FIRE SAFETY</b> <i>Fire safety is at the core of our business</i>
P.008 - P.009	<b>BESPOKE DOORS</b> <i>Any door, any size</i>
P.010 - P.059	<b>OAK DOORS</b> <i>Our range of oak doors</i>
P.060 - P.073	<b>WALNUT DOORS</b> <i>Our range of walnut doors</i>
P.074 - P.077	<b>HUE BY DÉANTA</b> <i>Add a splash of colour with Hue by Déanta</i>
P.078 - P.101	<b>WHITE PRIMED DOORS</b> <i>Our range of white primed doors</i>
P.102 - P.111	<b>ASH COLLECTION</b> <i>Our range of abachi and ash doors</i>
P.112 - P.119	<b>DÉANTA ARCHITECTURAL</b> <i>Our range of flush doors</i>
P.120 - P.125	<b>HARDWARE</b> <i>Handles, hinges, locks and latches</i>
P.126 - P.129	<b>ANCILLARY PRODUCTS</b> <i>Skirting, architrave and door lining sets</i>
P.130 - P.133	<b>FIRE &amp; ACOUSTIC</b> <i>Fire glass and fire, smoke, thermal &amp; acoustic seals</i>
P.134 - P.139	<b>FOLDING SYSTEMS</b> <i>Déanta's stylish room divider solution</i>
P.140 - P.145	<b>SLIDING SYSTEMS</b> <i>Our pocket door system</i>
P.146	<b>SUSTAINABILITY</b> <i>How we reduce our impact on the environment</i>
P.147	<b>IMPORTANT INFORMATION</b> <i>The fine print</i>

## THE DÉANTA STORY

We are not just another door company. We are not like everybody else. We have worked within the door industry for more than 20 years. During this time we have established ourselves as a forward-thinking, innovative company with a mission to revolutionise the door industry. At Déanta, we have a strong set of beliefs that run through everything we do.

### OUR COMMITMENT TO QUALITY

Customer satisfaction is Déanta's highest priority. We achieve this goal by continuously improving the cost effectiveness and performance of all our products and processes, as well as focusing on innovation.

Unlike other UK door companies, we have our own manufacturing facility. This not only allows us to control stock supply, but it also allows us to have full control of the quality control process to ensure every door that leaves our factory is of the very highest standard.

This enables us to be extremely competitive on price, as well as surpassing expectations on service and giving us the flexibility to have doors manufactured to meet your exact specification.

### OUR COMMITMENT TO THE ENVIRONMENT

We only use FSC® certified materials in all our prefinished doors, meaning they are sourced from well-managed FSC® certified forests and from recycled materials.

The FSC® ensure that forests are kept alive for generations to come. Harvest of all their timber products maintains forests' biodiversity, productivity and ecological processes.

Although many timber suppliers suggest their materials are from 'sustainable' or 'managed' sources, without an independent certification system, there is no way of verifying this or demonstrating the expectation levels to our clients.

FSC® set higher standards than any other forest certification system, giving the best assurance that forests are being managed responsibly and giving us peace of mind that we know exactly where our materials have been sourced.

## THE COLLECTION

At Déanta we manufacture and supply a wide range of beautifully crafted stylish interior doors. Our collection includes oak, walnut, dark grey ash, light grey ash, abachi and white primed doors along with a selection of FD30 fire doors.

We also manufacture a range of skirting, architrave and door lining sets in oak, walnut and white primed. These sets use the same hand-picked veneers as our doors, complementing them perfectly.

All Déanta doors are made to the highest standard with only the finest of materials ensuring you get the best from your contemporary Déanta door. Our design team tirelessly follow the door industry to come up with new, exciting designs to add to our ever-increasing collection. And our rigorous testing procedures ensure that only the very best doors make it to market.

Déanta offers the largest lippings available in the UK internal door market. All of our doors have 18mm lippings around the entire door meaning that a total of 32mm can be taken off the height and width of all our standard doors ensuring they will fit into any size opening. \*

We only ever produce solid core doors that are heavy and robust and are finished with specially selected crown cut and diamond cut oak, walnut, dark grey ash, light grey ash and abachi veneers to give a real timber look and feel. Our white primed doors are produced in the same way as our veneered doors and are ready for a one-coat finish.

All of our prefinished doors are FSC® certified.



\* Please contact us for advice on FD30 lippings.





We offer a bespoke glazing service. Customise the aperture of any of our fire doors to suit your needs with a three to four week lead time.

## FIRE SAFETY

Fire safety is at the core of our business. Because we manufacture all of our doors, we can ensure that every single component not only meets the required standards, but exceeds them. We invest heavily in research and development to ensure we offer the safest, most reliable fire safety products on the market.

We extensively test our product range through independent, third-party certification schemes. These accreditations are detailed below. Currently, every single fire door in our collection is covered under the BM TRADA Q-Mark\* scheme and every Déanta Architectural FD30 door is Certifire-approved. The third-party certifications are detailed on the product pages.

\* Ensure you request Q-Mark certification when placing order. Due to stock rotation, not every door will contain a Q-Mark plug. Doors without plug are covered under the BM TRADA Q-Mark scheme.



### BM TRADA Q-Mark

The BM TRADA Q-Mark product certification for construction products which system is based on the recognised Product Certification Standard EN ISO/IEC 17065 and confirms that a product conforms to the requirements of an appropriate recognised product Scheme Technical Document. BM TRADA Q-Mark products feature a plug identifying them as such.



### Certifire

Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifire scheme are clearly identified as such on each product page.





# BESPOKE GLAZING

Bespoke glazing is available for a number of the doors in this brochure. The doors are cut and glazed in our glazing centre right here in Cambridgeshire with a lead time of three to four weeks.

Choose your aperture size and configuration and select from a range of glazing types. The bespoke glazing service is available for regular glazing and fire glazing.

The doors that are able to be customised are identified on the product pages.



Bespoke glazing options available with this door.

## CHOOSE A DOOR



## CHOOSE APERTURE



Choose an option from page 118 or design your own.

## CHOOSE GLAZING



Choose regular clear, 30M clear fire glazing or 30M satin fire glazing.



# BESPOKE DOORS



*YOUR DOOR. YOUR SIZE. YOUR STYLE. OUR PLEASURE.*

Choose a bespoke size of any door in this brochure or even design your perfect door and our skilled craftsmen will bring your ideas to life.

Simply follow our four steps to get your perfect door.

Please visit our website at: [www.deantabespoke.co.uk](http://www.deantabespoke.co.uk) for more information.

### STEP 1

Contact your local stockist with your request

### STEP 2

Once we receive your enquiry you will be sent a quotation and lead time

### STEP 3

You will receive a technical drawing and once we receive your approval, your door will go into production and lead time confirmed

### STEP 4

Your bespoke doors are delivered direct to your home



# OAK

## FEATURES

- + Real American white oak veneer
- + Crown cut veneer / diamond cut veneer
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Clear toughened glass / frosted glass / bevelled glass / v-groove glass
- + Solid core
- + Prefinished and unfinished
- + Covered by the Déanta 10 year warranty
- + FSC® certified timber on prefinished products
- + Bespoke sizes available





AUGUSTA



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Ulysses, white primed



Invictus - See page 122

Ulysses - See page 129

AUGUSTA PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





UF  
UNFINISHED

10  
WARRANTY

## BRISTOL



Featured skirting and architrave - Victoriana, white primed



Featured skirting and architrave - Shaker, oak

### SUGGESTED ACCESSORIES



Augustus - See page 122



Shaker - See page 128

## BRISTOL UNFINISHED OAK

### GLAZED OPTION

Available with clear bevelled toughened glass

### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm





BURY



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Veritas - See page 122



Shaker - See page 129

BURY PREFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2032 x 813 x 35mm
1981 x 686 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 762 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 826 x 40mm / 44mm

GLAZED OPTION


Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm	2032 x 813 x 35mm
1981 x 686 x 35mm	2040 x 626 x 40mm
1981 x 762 x 35mm	2040 x 726 x 40mm
1981 x 838 x 35mm	2040 x 826 x 40mm

Fire door option. Fire doors are 44mm thick.





CADIZ



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Shaker, oak



Augustus - See page 122

Shaker - See page 128

CADIZ PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





UF  
UNFINISHED

FD30

10  
WARRANTY

CAMBRIDGE



Featured skirting and architrave - Victoriana, white primed



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Hadrian - See page 122



Traditional - See page 128

CAMBRIDGE UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm  
1981 x 686 x 35mm / 44mm  
1981 x 762 x 35mm / 44mm  
1981 x 838 x 35mm / 44mm  
2032 x 813 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with frosted toughened glass

SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm  
2032 x 813 x 35mm



Available in

COVENTRY



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Augustus - See page 122



Shaker - See page 128

COVENTRY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified

SOLID OPTION

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

- |                          |                          |
|--------------------------|--------------------------|
| 1981 x 533 x 35mm        | 2032 x 813 x 35mm / 44mm |
| 1981 x 610 x 35mm / 44mm | 2040 x 626 x 40mm        |
| 1981 x 686 x 35mm / 44mm | 2040 x 726 x 40mm / 44mm |
| 1981 x 762 x 35mm / 44mm | 2040 x 826 x 40mm / 44mm |
| 1981 x 838 x 35mm / 44mm | 2040 x 926 x 40mm        |

SIZES


- |                   |
|-------------------|
| 1981 x 610 x 35mm |
| 1981 x 686 x 35mm |
| 1981 x 762 x 35mm |
| 1981 x 838 x 35mm |
| 2032 x 813 x 35mm |
| 2040 x 726 x 40mm |
| 2040 x 826 x 40mm |

Fire door option. Fire doors are 44mm thick.





Available in



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 122



Shaker - See page 129

ELY PREFINISHED / UNFINISHED OAK

SOLID OPTION

Fire door option. Fire doors are 44mm thick.



Bespoke glazing options available with this door.

SIZES

- |                          |                          |
|--------------------------|--------------------------|
| 1981 x 457 x 35mm / 44mm | 2032 x 813 x 35mm        |
| 1981 x 533 x 35mm        | 2040 x 526 x 40mm        |
| 1981 x 610 x 35mm / 44mm | 2040 x 626 x 40mm        |
| 1981 x 686 x 35mm / 44mm | 2040 x 726 x 40mm / 44mm |
| 1981 x 711 x 35mm        | 2040 x 826 x 40mm / 44mm |
| 1981 x 762 x 35mm / 44mm | 2040 x 926 x 40mm / 44mm |
| 1981 x 838 x 35mm / 44mm |                          |

2040 x 526 x 40mm & 1981 x 457 x 44mm available prefinished only

FD30 doors acoustic tested up to 31dB

Certifiere-approved & BM TRADA Q-Mark





## ELY 1L & 1L FULL



Ely 1L. Featured skirting and architrave - Half splayed, white primed



Ely 1L Full. Featured skirting and architrave - Shaker, oak

### SUGGESTED ACCESSORIES



Hadrian - See page 122



Shaker - See page 128

## ELY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified



### ELY 1L

Available with v-groove glass

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm  
2040 x 726 x 40mm  
2040 x 826 x 40mm



### ELY 1L FULL

Available with v-groove glass

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm





**PF**  
PREFINISHED

**OG**  
FINISH

**10**  
WARRANTY

## ELY 5L & 6L



Ely 6L. Featured skirting and architrave - Shaker, white primed



Ely 5L. Featured skirting and architrave - Half splayed, white primed

### SUGGESTED ACCESSORIES



Fortuna - See page 122



Half splayed - See page 128

## ELY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified

### ELY 5L

Available with clear toughened glass



#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Available prefinished only

### ELY 6L

Available with clear bevelled glass



#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm  
2040 x 626 x 40mm  
2040 x 726 x 40mm  
2040 x 826 x 40mm





UF  
UNFINISHED

FD30

10  
WARRANTY

Available in

PAGE  
90



Featured skirting and architrave - Half splayed, oak



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Veritas - See page 122



Traditional - See page 128

ETON UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm 2040 x 626 x 40mm  
1981 x 686 x 35mm / 44mm 2040 x 726 x 40mm  
1981 x 762 x 35mm / 44mm 2040 x 826 x 40mm  
1981 x 838 x 35mm / 44mm 2040 x 926 x 40mm  
2032 x 813 x 35mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear toughened glass

SIZES

1981 x 610 x 35mm 2040 x 726 x 40mm  
1981 x 686 x 35mm 2040 x 826 x 40mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm





GALWAY



Front of door Back of door Glazed

Galway Ledge & Brace. Featured skirting and architrave - Shaker, white primed



Galway. Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Veritas - See page 122



Shaker - See page 129

GALWAY AND GALWAY LEDGE & BRACE UNFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

LEDGE & BRACE OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Solid FD30 doors acoustic tested up to 31dB

Certifire-approved & BM TRADA Q-Mark





Available in



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Invictus - See page 122



Traditional - See page 128

KENSINGTON PREFINISHED OAK

SOLID OPTION

SIZES

1981 x 533 x 35mm	2032 x 813 x 35mm / 44mm
1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm / 44mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm / 44mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm / 44mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm	2032 x 813 x 35mm
1981 x 686 x 35mm	2040 x 726 x 40mm
1981 x 762 x 35mm	2040 x 826 x 40mm
1981 x 838 x 35mm	



UF  
UNFINISHED

10  
WARRANTY

## KERRY



Featured skirting and architrave - Victoriana, white primed



Featured skirting and architrave - Shaker, oak

### SUGGESTED ACCESSORIES



Augustus - See page 122



Half splayed - See page 129

## KERRY UNFINISHED OAK

### GLAZED OPTION

Available with clear bevelled toughened glass

### SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm





UF  
UNFINISHED

FD30

10  
WARRANTY

KINGSTON



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Half splayed, oak

SUGGESTED ACCESSORIES



Veritas - See page 122



Victoriana - See page 129

KINGSTON UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 457 x 35mm	1981 x 838 x 35mm / 44mm
1981 x 533 x 35mm	2032 x 813 x 35mm
1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm / 44mm
1981 x 711 x 35mm	2040 x 826 x 40mm / 44mm
1981 x 762 x 35mm / 44mm	

🔥 Fire door option. Fire doors are 44mm thick.





UF  
UNFINISHED

FD30

10  
WARRANTY

LOUIS



Featured skirting and architrave - Traditional, oak



Featured skirting and architrave - Ulysses, white primed



Augustus - See page 122



Traditional - See page 128

SUGGESTED ACCESSORIES

LOUIS UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm  
1981 x 686 x 35mm / 44mm  
1981 x 762 x 35mm / 44mm  
1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.





NORWICH



Featured skirting and architrave - Traditional, oak



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Augustus - See page 122



Traditional - See page 128

NORWICH UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm	2040 x 726 x 40mm
1981 x 686 x 35mm	2040 x 826 x 40mm
1981 x 762 x 35mm	
1981 x 838 x 35mm	

Fire door option. Fire doors are 44mm thick.





Featured skirting and architrave - Ulysses, white primed



Featured skirting and architrave - Ulysses, white primed

SUGGESTED ACCESSORIES



Augustus - See page 122



Ulysses - See page 129

OXFORD PREFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2032 x 813 x 35mm
1981 x 686 x 35mm / 44mm	2040 x 626 x 44mm
1981 x 762 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 826 x 40mm

Fire door option. Fire doors are 44mm thick.





PAMPLONA



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Half splayed, oak

SUGGESTED ACCESSORIES



Fortuna - See page 122



Shaker - See page 128

PAMPLONA PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

GLAZED OPTION

Available with clear toughened glass

SIZES

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Solid FD30 doors acoustic tested up to 31dB





RAVELLO



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Veritas- See page 122



Shaker - See page 129

RAVELLO PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass


SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifiere-approved & BM TRADA Q-Mark





SEVILLE



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Half splayed, oak

SUGGESTED ACCESSORIES



Augustus - See page 122



Half splayed - See page 128

SEVILLE PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 457 x 35mm
- 1981 x 533 x 35mm / 44mm 🔵
- 1981 x 610 x 35mm / 44mm 🔵
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 711 x 35mm
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm / 44mm 🔵

- 2032 x 813 x 35mm
- 2040 x 526 x 40mm
- 2040 x 626 x 40mm / 44mm 🔵
- 2040 x 726 x 40mm / 44mm 🔵
- 2040 x 826 x 40mm / 44mm 🔵
- 2040 x 926 x 40mm / 44mm 🔵

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm 🔵
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm / 44mm 🔵
- 2032 x 813 x 35mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm

🔊 Solid FD30 doors acoustic tested up to 31dB

🔥 Fire door option. Fire doors are 44mm thick.

🔵 Certifire-approved & BM TRADA Q-Mark





## SEVILLE 4L & 4LS



Seville 4L. Featured skirting and architrave - Half splayed, white primed



Seville 4LS. Featured skirting and architrave - Half splayed, white primed

### SUGGESTED ACCESSORIES



Augustus - See page 122



Half splayed - See page 129

## SEVILLE 4L & 4LS PREFINISHED OAK

### SEVILLE 4L

Available with clear toughened glass

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm  
2040 x 726 x 40mm  
2040 x 826 x 40mm

Fire glazing available. Ask your local agent for details

### SEVILLE 4LS

Available with clear toughened glass

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire glazing available. Ask your local agent for details





SORRENTO



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Hadrian - See page 122



Half splayed - See page 129

SORRENTO PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





TORINO



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Augustus - See page 122



Shaker - See page 128

TORINO PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





UF  
UNFINISHED

FD30

10  
WARRANTY

WALDEN



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Augustus - See page 122



Traditional - See page 128

WALDEN UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm  
1981 x 686 x 35mm / 44mm  
1981 x 762 x 35mm / 44mm  
1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.





# WALNUT

## FEATURES

- + Real American black walnut veneer
- + Crown cut veneer / diamond cut veneer
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Clear toughened glass / frosted glass / bevelled glass / v-groove glass
- + Aluminium inlays
- + Solid core
- + Prefinished
- + Covered by the Déanta 10 year warranty
- + FSC® certified timber
- + Bespoke sizes available





CADIZ



Featured skirting and architrave - Shaker, walnut



Featured skirting and architrave - Shaker, walnut



Augustus - See page 122

Shaker - See page 128

CADIZ PREFINISHED WALNUT

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Certifire-approved & BM TRADA Q-Mark





COVENTRY



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Shaker , white primed

SUGGESTED ACCESSORIES



Augustus - See page 122



Shaker - See page 129

COVENTRY PREFINISHED WALNUT

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm  
1981 x 686 x 35mm / 44mm  
1981 x 762 x 35mm / 44mm  
1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.





Available in



KENSINGTON



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, walnut

SUGGESTED ACCESSORIES



Invictus - See page 122



Shaker - See page 128

KENSINGTON PREFINISHED WALNUT

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm 2032 x 813 x 35mm / 44mm  
1981 x 686 x 35mm / 44mm 2040 x 626 x 40mm  
1981 x 762 x 35mm / 44mm 2040 x 726 x 40mm / 44mm  
1981 x 838 x 35mm / 44mm 2040 x 826 x 40mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm 2032 x 813 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.





PAMPLONA



Featured skirting and architrave - Shaker, walnut



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Veritas - See page 122



Shaker - See page 128

PAMPLONA PREFINISHED WALNUT



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES


- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Solid FD30 doors acoustic tested up to 31dB





## SEVILLE



Featured skirting and architrave - Half splayed, white primed



Seville glazed. Featured skirting and architrave - Shaker, walnut

### SUGGESTED ACCESSORIES



Invictus - See page 122



Shaker - See page 128

## SEVILLE PREFINISHED WALNUT



Bespoke glazing options available with this door.

### SOLID OPTION

#### SIZES

- 1981 x 457 x 44mm
- 1981 x 533 x 35mm / 44mm
- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm
- 2040 x 926 x 40mm

Fire door option. Fire doors are 44mm thick.

FD30 doors acoustic tested up to 31dB

### GLAZED OPTION

Available with clear toughened glass

#### SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Certifire-approved & BM TRADA Q-Mark





VALENCIA



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Ulysses, white primed



Augustus - See page 122

Ulysses - See page 129

VALENCIA PREFINISHED WALNUT



Bespoke glazing options available with this door.

SOLID OPTION

GLAZED OPTION

Available with clear toughened v-groove glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





# HUE BY DÉANTA

HUE  
by déanta





AVAILABLE  
WITH ANY OF DÉANTA'S  
WHITE PRIMED DOORS

Featured door: Rochester in Midnight. See page 96 30mm can be taken off for




Add a splash of colour with Hue by Déanta

Introducing our brand new finishing service for our entire range of primed doors



CHOOSE YOUR DOOR




CHOOSE YOUR COLOUR



Pamplona glazed in Duck Egg. See page 94




Seville in Truffle. See page 98



WHITE IVORY MIST TRUFFLE MOCHA DUCK EGG PISTACHIO MIDNIGHT BLACK





# WHITE PRIMED

## FEATURES

- + Ready for a one-coat finish
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Solid core for extra strength and stability
- + Clear toughened glass / frosted glass / bevelled glass
- + Doors are heavy and robust
- + Covered by the Déanta 10 year warranty
- + Bespoke sizes available





Featured door - Ascot finished with Mist



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 122



Half splayed - See page 129

ASCOT WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.





Add a splash of colour to this door with Hue by Déanta. See page 74

CANTERBURY



Featured door - Canterbury finished with Truffle



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Veritas - See page 122



Half splayed - See page 129

CANTERBURY WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.





Featured door - Coventry finished with Pistachio



Featured skirting and architrave - Ulysses, white primed



Hadrian - See page 122

Half splayed - See page 129

COVENTRY WHITE PRIMED

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

1981 x 610 x 35mm	2040 x 726 x 40mm *
1981 x 686 x 35mm	2040 x 826 x 40mm *
1981 x 762 x 35mm	* Clear glazed only
1981 x 838 x 35mm	

Fire door option. Fire doors are 44mm thick.





P

FINISH


FD30

10

WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 74

## DENVER



Featured door - Denver finished with Ivory



Featured skirting and architrave - Shaker, white primed



Augustus - See page 122



Half splayed - See page 129

## DENVER WHITE PRIMED

### SOLID OPTION

- SIZES
- 1981 x 610 x 35mm
  - 1981 x 686 x 35mm / 44mm
  - 1981 x 762 x 35mm / 44mm
  - 1981 x 838 x 35mm / 44mm
  - 2040 x 726 x 40mm
  - 2040 x 826 x 40mm

Fire door option. Fire doors are 44mm thick.

### GLAZED OPTION

Available with clear toughened glass or frosted glass

- SIZES
- 1981 x 610 x 35mm\*
  - 1981 x 686 x 35mm
  - 1981 x 762 x 35mm
  - 1981 x 838 x 35mm
- \* Clear glazed only





WHITE PRIMED / ELY

ELY



Featured door - Ely finished with Mist

WHITE PRIMED / ELY



Featured skirting and architrave - Half splayed, white primed



Augustus - See page 122



Half splayed - See page 129

ELY WHITE PRIMED



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2040 x 626 x 40mm / 44mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Solid FD30 doors acoustic tested up to 31dB



Available in

PAGE 30

P

FINISH

FD30

10

WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 74



Featured door - Eton finished with Duck Egg



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Invictus - See page 122



Shaker - See page 129

ETON WHITE PRIMED

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm

GLAZED OPTION

Available with clear toughened glass

SIZES

1981 x 610 x 35mm	2040 x 726 x 40mm
1981 x 686 x 35mm	2040 x 826 x 40mm
1981 x 762 x 35mm	
1981 x 838 x 35mm	

Fire door option. Fire doors are 44mm thick.





## MADISON



Featured door - Madison finished with Black



Featured skirting and architrave - Half splayed, white primed

### SUGGESTED ACCESSORIES



Augustus - See page 122



Ulysses - See page 129

## MADISON WHITE PRIMED

### SOLID OPTION

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm / 44mm  
1981 x 762 x 35mm / 44mm  
1981 x 838 x 35mm / 44mm

### GLAZED OPTION

Available with clear bevelled toughened glass

#### SIZES

1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



Available in

PAGE 46

PAGE 68



Add a splash of colour to this door with Hue by Déanta. See page 74



Featured door - Pamplona finished with Duck Egg



Featured skirting and architrave - Half splayed, white primed



Augustus - See page 122

Half splayed - See page 129

PAMPLONA WHITE PRIMED



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Solid FD30 doors acoustic tested up to 31dB





Add a splash of colour to this door with Hue by Déanta. See page 74



Featured door - Rochester finished with Midnight



Featured skirting and architrave - Victoriana, white primed



Augustus - See page 122

Victoriana - See page 129

ROCHESTER WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



SEVILLE



Featured door - Seville finished with Mocha



Featured skirting and architrave - Shaker, white primed



Augustus - See page 122

Shaker - See page 129

SEVILLE WHITE PRIMED



Bespoke glazing options available with this door.

SOLID OPTION

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Solid FD30 doors acoustic tested up to 31dB





P  
FINISH

FD30

10  
WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 74

## WINDSOR



Featured door - Windsor finished with Black



Featured skirting and architrave - Shaker, white primed

### SUGGESTED ACCESSORIES



Veritas - See page 122



Ulysses - See page 129

## WINDSOR WHITE PRIMED

### SOLID OPTION

#### SIZES

1981 x 610 x 35mm / 44mm  
1981 x 686 x 35mm / 44mm  
1981 x 762 x 35mm / 44mm  
1981 x 838 x 35mm / 44mm

### GLAZED OPTION

Available with clear toughened bevelled glass

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm  
1981 x 762 x 35mm  
1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.




# ASH COLLECTION

## FEATURES

- + Real ash and abachi veneers
- + Crown cut veneer
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Clear toughened glass
- + Solid core
- + Prefinished
- + Covered by the Déanta 10 year warranty
- + FSC® certified timber
- + Bespoke sizes available





Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Half splayed, white primed



Fortuna - See page 122

Half splayed - See page 129

## MONTREAL PREFINISHED DARK GREY ASH

### SOLID OPTION

#### SIZES

1981 x 610 x 35mm / 44mm 🔵 2040 x 826 x 40mm / 44mm 🔵  
1981 x 686 x 35mm / 44mm 🔵 2040 x 926 x 40mm / 44mm 🔵  
1981 x 762 x 35mm / 44mm 🔵  
1981 x 838 x 35mm / 44mm 🔵

🔥 Fire door option. Fire doors are 44mm thick.

### GLAZED OPTION

Available with clear toughened glass

#### SIZES

1981 x 610 x 35mm  
1981 x 686 x 35mm / 44mm 🔵  
1981 x 762 x 35mm / 44mm 🔵  
1981 x 838 x 35mm

🔵 Certifiere-approved & BM TRADA Q-Mark



Bespoke glazing options available with this door.



MONTREAL



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Victoriana, white primed



Fortuna - See page 122

Half splayed - See page 129

MONTREAL PREFINISHED LIGHT GREY ASH

SOLID OPTION

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm 🔵
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm / 44mm 🔵
- 2040 x 626 x 40mm 🔵
- 2040 x 726 x 40mm / 44mm 🔵
- 2040 x 826 x 40mm / 44mm 🔵

SIZES

- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm 🔵
- 2040 x 726 x 40mm 🔵
- 2040 x 826 x 40mm 🔵


🔴 Fire door option. Fire doors are 44mm thick.

🔵 Certifire-approved & BM TRADA Q-Mark



Bespoke glazing options available with this door.





Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 122



Shaker - See page 129

TORINO PREFINISHED LIGHT GREY ASH

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark



Bespoke glazing options available with this door.





CALGARY



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 122



Half splayed - See page 129

CALGARY PREFINISHED ABACHI

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🔵
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm / 44mm 🔵

🔴 Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm

🔵 Certifire-approved & BM TRADA Q-Mark





# DÉANTA ARCHITECTURAL





# dēanta

ARCHITECTURAL

Our latest Architectural range offers our customers an extensive choice of internal doors, aperture options and glazing types providing maximum flexibility when creating their ideal door.

All customisations to our doors - aperture cutting and glass fitting - are completed in our very own specialist Joinery & Glazing Centre in Cambridgeshire. This service allows us to significantly cut down the lead time for glazing, ensuring that project deadlines are met and the product is delivered with the exceptional quality that our customers have come to expect from Déanta.

## ORDERING SIMPLIFIED

We understand that each customer is unique, with differing requirements, specifications and tastes.

To make selecting the desired door as simple as possible we have developed a streamlined four-step guide designed to ensure a quick and efficient process.



### CHOOSE YOUR DOOR

Select from a multitude of veneer options in numerous sizes. All doors are available in standard 35mm, 40mm 44mm (FD30) and 54mm (FD60).

### CHOOSE YOUR APERTURE OPTION

With fourteen aperture options to choose from, customising your door is a simple process. Alternatively, choose a bespoke aperture to suit your needs.




### CHOOSE YOUR GLAZING TYPE

Choose from standard non fire-rated glass to 30M and 60M fire-rated with satin and wired options.

### SELECT ADD-ONS


With an array of door lining sets, a range of skirting and architrave, as well as acoustic, fire and smoke seals, these finishing touches complete the selection process.





ASK YOUR MERCHANT FOR A COPY OF THE LATEST DÉANTA ARCHITECTURAL BROCHURE TODAY



Flush Oak





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●


 Stocked standard door


●


 Stocked FD30


●

 Stocked FD60










10

min

Flush Walnut





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●

 Stocked standard door

●


 Stocked FD30


●

 Stocked FD60









10

min

Flush Ash





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●

 Stocked standard door

●

 Stocked FD30

●

 Stocked FD60












10

min

Flush Light Grey Ash / Dark Grey Ash (D101)





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●


 Stocked standard door


●


 Stocked FD30


●

 Stocked FD60












10

min

Flush Light Grey Ash





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●


 Stocked standard door


●


 Stocked FD30


●

 Stocked FD60












10

min

Flush Dark Grey Ash





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●


 Stocked standard door


●


 Stocked FD30


●

 Stocked FD60










10

min

Flush Light Grey Ash / Dark Grey Ash (D102)





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●

 Stocked standard door

●

 Stocked FD30


●

 Stocked FD60












10

min

Flush Light Grey Ash / Dark Grey Ash (D103)





The mark of responsible forestry

914 x 1981

864 x 1981

838 x 1981

813 x 2032

762 x 1981

711 x 1981

686 x 1981

610 x 1981

533 x 1981

457 x 1981

IMPERIAL SIZES

926 x 2040

826 x 2040

726 x 2040

626 x 2040

526 x 2040

426 x 2040

METRIC SIZES

●


 Stocked standard door


●


 Stocked FD30


●

 Stocked FD60










10

min

APERTURE OPTIONS



We can offer any style of glazing through our bespoke glazing service. Please contact us or your local agent for more details.

**Please note:** Options 03, 04 and 05 not available with 60M rated fire glass.

GLAZING OPTIONS



CERTIFIRE



Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifire scheme are clearly identified as such on each product page.







# HARDWARE

We now offer a range of stylish internal hardware to complement our doors. From handles to hinges and locks to latches, whatever your taste, we have something for you.



AUGUSTUS

Matt / Polished Chrome

KEY FEATURES

- + 50mm x 8mm sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty




FORTUNA

Satin

KEY FEATURES

- + 50mm x 8mm sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



HADRIAN

Matt Satin Black

KEY FEATURES

- + 50mm x 8mm square sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



INVICTUS

Matt Satin Black

KEY FEATURES

- + 50mm x 8mm square sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



VERITAS

Polished Chrome

KEY FEATURES

- + 50mm x 8mm sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



STEEL HINGES

Radius / Square



KEY FEATURES

- + 76 x 50 x 2mm
- + BN EN 1935

STEEL HINGES

Radius / Square



KEY FEATURES

- + 102 x 76 x 3mm
- + BN EN Grade 13
- + Certifire-rated

SASH LOCK

Radius / Square



KEY FEATURES

- + 3 lever mortice
- + 2.5"
- + Satin nickel finish
- + Certifire-rated

BATHROOM LOCK

Radius / Square



KEY FEATURES

- + 3 lever mortice
- + 2.5"
- + Satin nickel finish
- + Certifire-rated

LATCH

Radius / Square



KEY FEATURES

- + Radius / square tubular
- + Satin nickel finish
- + Certifire-rated



THUMB-TURN LOCKS

Matt / Polished Chrome / Satin



MATT / POLISHED CHROME FINISH



POLISHED CHROME FINISH



SATIN FINISH



MATT SATIN BLACK FINISH

3" SIGNS

Steel



FIRE DOOR  
KEEP CLEAR



FIRE DOOR  
KEEP SHUT



PULL SIGN



PUSH SIGN



DISABLED  
PICTOGRAM



MALE  
PICTOGRAM



FEMALE  
PICTOGRAM



UNISEX  
PICTOGRAM

HARDWARE PACKS



\*\*Some pack elements are **CERTIFIRE** rated, these are identified in blue text below. Please note this does not apply to the entire pack.\*\*

BATHROOM KIT

- + HANDLE SET
- + **STEEL SQUARE HINGE SET**  
(102 x 76 x 3mm) 3PK
- + **3 LEVER BATHROOM LOCK**
- + THUMB-TURN LOCK



BATHROOM KIT

- + HANDLE SET
- + **STEEL SQUARE HINGE SET**  
(76 x 50 x 2mm) 3PK
- + **3 LEVER BATHROOM LOCK**
- + THUMB-TURN LOCK



LATCH KIT

- + HANDLE SET
- + **STEEL SQUARE HINGE SET**  
(102 x 76 x 3mm) 3PK
- + **SQUARE TUBULAR LOCK**



LATCH KIT

- + HANDLE SET
- + **STEEL SQUARE HINGE SET**  
(76 x 50 x 2mm) 3PK
- + **SQUARE TUBULAR LOCK**







# SKIRTING & ARCHITRAVE



Half SplayedOak



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)  
Architrave: 90mm x 16mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American white oak veneer
- ▶ Prefinished
- ▶ MDF core



TraditionalOak



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)  
Architrave: 80mm x 16mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American white oak veneer
- ▶ Prefinished
- ▶ MDF core



ShakerOak



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)  
Architrave: 80mm x 16mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American white oak veneer
- ▶ Prefinished
- ▶ MDF core



ShakerWalnut



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)  
Architrave: 80mm x 16mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American black walnut veneer
- ▶ Prefinished
- ▶ MDF core



Half SplayedWhite Primed



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)  
Architrave: 90mm x 16mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core



UlyssesWhite Primed



Skirting: 3.6M x 145mm x 18mm (Sold in packs of four)  
Architrave: 90mm x 18mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core



ShakerWhite Primed



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)  
Architrave: 80mm x 16mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core



VictorianaWhite Primed



Skirting: 3.6M x 180mm x 18mm (Sold in packs of four)  
Architrave: 100mm x 18mm  
Door lining set: 133mm / 108mm x 30mm (removable stop included)  
Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core





**FIRE & ACOUSTIC**






ACOUSTIC



A number of our FD30 doors have been acoustically tested to 31dB. These doors comply with Part E of the Building Regulations when fitted with the appropriate seals including an automatic drop seal at the threshold.

The doors that are acoustically tested are identified on the product pages.


 Solid FD30 doors acoustic tested up to 31dB



BATWING®  
acoustic + smoke seal



LAS8001 SI  
Drop Seal



DS  
acoustic, smoke + fire seal

FIRE GLAZING



As part of our commitment to being a one-stop shop for our customers' door needs, we now offer our own patented fire rated glass.

The glass has been extensively tested and accredited by Exova and satisfies all the safety needs required so you can be confident that your home and family are protected.



SYSTEM-36 PLUS  
Intumescent glazing gasket




BATWING® & LAS8001 SI



## FOLDING SYSTEMS





Configuration: 2 + 0 | Featured door: Montreal dark grey ash glazed, page 105 | Skirting & Architrave: Shaker, white primed

## FOLDING DOOR SYSTEMS

**dēanta**  
FOLDING SYSTEMS

Our room divider solution which uses a high quality track to allow any of our doors to effortlessly glide across the system. Room dividers offer a vast array of different options to choose from. A room divider can bring that flexibility to a property that is not always afforded by merely using walls to separate rooms. Numerous configurations can be created to suit any home.

A complete off-the-shelf solution allowing you to quickly and easily install your chosen configuration. We have specially designed the track and bearings and put them through rigorous testing to ensure they can withstand the extra weight you would come to expect from a Déanta door. This ensures that your doors will effortlessly slide every single time, and will last for years to come.

For more information visit our website at:  
[www.deanta.co.uk](http://www.deanta.co.uk)



Configuration: 3 + 0 | Featured door: **Coventry walnut glazed**, page 65 | Skirting & Architrave: **Shaker**, white primed

CHOOSING YOUR SYSTEM

SELECT OPENING WIDTH AND CONFIGURATION

OPENING WIDTH		CONFIGURATIONS		
610mm	686mm			
1295mm	1447mm		2 + 0	
1908mm	2136mm		3 + 0	
1908mm	2136mm		2 + 1	
2521mm	2825mm		2 + 2	
2521mm	2825mm		4 + 0	
2521mm	2825mm		3 + 1	

NEW

Please allow 10mm on outer frame width for recommended structural opening width.  
Outer frame height can be adjusted between 2050mm and 2060mm dependent on flooring detail.  
Linings are supplied oversize to allow them to be cut to suit.

CHOOSE YOUR DOOR




Fold offers you the freedom to choose any door from the Déanta range to achieve the look you want. The doors above are the most popular choices for the system. We supply door linings in oak, walnut and primed to match any door you choose for your folding system.





# SLIDING SYSTEMS



Featured door: Ely white primed, page 88 | Skirting & Architrave: Half Splayed, white primed

## SLIDING DOOR SYSTEMS

dēanta

SLIDING SYSTEMS

Our pocket door system is the perfect solution where there is not much space available, such as kitchens or bathrooms. Concealing internal sliding doors within the wall cavity has a significant impact on both usable space and perceived available space, making rooms more flexible and feeling lighter and airier.

Additionally, you can also get a double pocket door system using two pocket doors installed side by side. Designed to work in partition walls, each pocket door kit comes with a pre-assembled aluminium track and header mechanism.

Our pocket door kit is compatible with the majority of Déanta doors and includes all the hardware that you'll need, no surprises!

In particular, the door jambs included in our pack, will provide the finishing touch that you need in order to conceal the sliding system.

Furthermore, the under door profile provided allows a stable and smooth sliding.

Our pocket door system can be upgraded with add-ons such as a soft close, a self closing kit or a bathroom lock.

For more information visit our website at:  
[www.deanta.co.uk](http://www.deanta.co.uk)





Featured door: Montreal light grey ash, page 106 | Skirting & Architrave: Shaker, white primed

SIZING & FEATURES

SIZING

DOOR SIZE (MM)	SINGLE DOOR		DOUBLE DOOR		NEW
	OPENING (MM)	OVERALL DIMENSIONS (MM)	OPENING (MM)	OVERALL DIMENSIONS (MM)	
1981 x 686 x 35	660 x 1970	1470 x 2060	1320 x 1970	2830 x 2060	
1981 x 762 x 35	740 x 1970	1650 x 2060	1480 x 1970	3190 x 2060	
1981 x 838 x 35	810 x 1970	1720 x 2060	1620 x 1970	3330 x 2060	
2040 x 726 x 40	700 x 2030	1510 x 2120	1400 x 2030	2910 x 2120	
2040 x 826 x 40	800 x 2030	1710 x 2120	1600 x 2030	3310 x 2120	

FEATURES

- + Recessed straight into a partition wall
- + Under door profile
- + Round flush pull handle with a satin chrome finish
- + Door jambs included
- + Covered by the Déanta 10 year warranty

ADD-ONS

- + Soft close
- + Bathroom lock
- + White primed architrave
- + Simultaneous closer for double door system



We have sensor lighting throughout our site to ensure that no power is wasted when not in use.



We are certified by the Forest Stewardship Council® (FSC®)



98% of all our onsite waste is recycled.



We use mains water dispensers to reduce the use of plastic bottles and help the environment.



The solar panels on our building create enough energy to make our building self-sustainable for seven months.



The mark of responsible forestry

## BEING RESPONSIBLE

In an age where there is continued depletion of natural resources, companies throughout the world have shifted priorities to become more environmentally aware. At Déanta, we have realised how our operations can impact the environment so we are investing heavily to become more environmentally responsible. Throughout the business we are working to reduce our carbon footprint, helping to protect our planet and ensuring we have a positive impact on our society, economy and environment. We are always looking at ways we can reduce, reuse and recycle the resources we use. We apply environmentally friendly practises to both our offices and the supply chain:

- 98% of all our onsite waste is recycled. We have recycling bins throughout the site including in our staff canteens, to make sure all Déanta employees are doing their bit for the planet.
- We have installed solar panels on the roof of our building which creates enough energy to make our building self-sustainable for seven months.
- We use mains water dispensers to reduce the use of plastic bottles and help the environment.
- All our timber is sourced from North American forests with sound environmental forest management schemes. These schemes ensure the forests biodiversity, productivity and ecological processes as well as protecting the rights of local people.
- We are certified by the Forest Stewardship Council® (FSC®) and all of our prefinished doors are made from FSC® certified material, reducing our carbon footprint.
- We have sensor lighting and taps throughout our site to help us ensure that no power or water is wasted.

## IMPORTANT INFORMATION

We offer a limited ten year warranty on all our doors. Any Déanta door that warps\* or splits will be covered by our warranty once the installation has met all guidelines. Please note colour variance in the wood is not considered a manufacturing fault as it is a natural product.

### THE FOLLOWING MUST BE CARRIED OUT TO ENSURE THE BEST PERFORMANCE FROM YOUR DÉANTA DOOR

- All doors must be examined immediately on receipt and prior to installation as claims or faults will not be accepted once the door has been installed or altered. This excludes manufacturing faults that occur after hanging.
- Doors must be stored horizontally on a clean, dry, flat and level surface.
- Doors must not be fitted in a house that is freshly plastered and doors should only be delivered to site after all wet trades are finished and sufficiently dried. A moisture reading taken by an engineer must be recorded.
- For doors to acclimatise, they should be left in the house prior to installation for at least seven days with the ambient temperature gradually increased over this period.
- Should a door require alteration, cutting or planing, it must be immediately revarnished to prevent moisture absorption which may lead to warping or splitting.
- Take no more than 32mm\*\* off the width and height of doors in equal amounts on all edges.
- Planed edges of prefinished doors must be refinished using three coats of internal wood finish.
- Three coats of internal wood finish are required on unfinished doors and on any modifications to a prefinished door including the ironmongery and hinge cut-outs.
- We recommend the use of three hinges per door.
- We recommend varnish and lacquers that are suitable for interior joinery. If using oils please contact Déanta for recommended brands.
- Ten year warranty on hardware (handles and locks) refers to mechanical faults. General wear and tear from use is not covered by this warranty.

**UNDER OUR WARRANTY, OUR LIABILITY IS LIMITED TO REPLACING THE DOOR AND NO LIABILITY IS ACCEPTED FOR ANY CONSEQUENTIAL COSTS. ALTERATION OF A DÉANTA DOOR WILL VOID THE WARRANTY.**

\* Warp/bow/cup/twist (as set out in the relevant British Standard) shall not be considered a defect unless it exceeds 1/4 inch (6.35mm) in the plane of the door itself. Warp is any distortion in the door itself and does not refer to the relationship of the door to the frame or jamb in which it is hung.

\*\* Refer to our website for details on trimming fire doors.

For more information on our warranty and for full terms and conditions please visit our website at: [www.deanta.co.uk](http://www.deanta.co.uk).

### STOCKISTS

We have stockists throughout the UK. To find your nearest retailer please visit our website.



**Déanta UK Ltd.**

400 Lancaster Way Business Park  
Ely  
Cambridgeshire  
CB6 3NW

Phone: 01353 698602  
Email: [sales@deanta.co.uk](mailto:sales@deanta.co.uk)  
Web: [www.deanta.co.uk](http://www.deanta.co.uk)

Local stockist