



# ELKA

designer  
floors  
for living



LUXURY VINYL




LAMINATE



REAL WOOD ENGINEERED



SOLID WOOD



LUXURY VINYL

DISCOVER HOW  
AN ELKA FLOOR  
CAN TRANSFORM  
YOUR HOME

Cover: Copper Oak 20mm real wood engineered flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the luxury vinyl, laminate and real wood products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

**E&OE.** All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

2020

[www.elkaflooring.co.uk](http://www.elkaflooring.co.uk)

## FLOORING COLLECTIONS

PAGES 08-43

LUXURY VINYL  
LAMINATE  
REAL WOOD ENGINEERED  
SOLID WOOD

## ELKA EXTRAS

PAGES 44-51

PREPARE  
FIX  
FINISH  
MAINTAIN

## PRODUCT OVERVIEW

PAGES 52-55

THE FULL RANGE  
OF FLOORING  
AND EXTRAS  
AT A GLANCE

# WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?



## REAL WOOD ENGINEERED FLOORING

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 4mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.


## SOLID WOOD FLOORING

Made from high quality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of permanence, adding beauty and elegance to your interior.

Each board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. They can be fitted using numerous techniques, including adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka 3in1 underlay. For more information visit [elkaflooring.co.uk](http://elkaflooring.co.uk). Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.



18MM RUSTIC BRUSHED & OILED OAK



8MM COUNTRY OAK

## LUXURY VINYL 100% WATERPROOF FLOORING

Capturing the beautiful look and feel of real wood in stunning detail, Elka luxury vinyl flooring is a stylish, hardwearing and cost-effective solution for modern living. With six gorgeous authentic-looking wood designs, from timeless browns to on-trend greys, available in our brand-new collection, we're confident you'll find a floor that's perfect for your lifestyle.


Manufactured in multiple layers for fantastic durability, Elka luxury vinyl comes with a wealth of practical advantages. Not only is it 100% waterproof - making it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms - it's tough, compatible with underfloor heating, sound absorbent and feels warm and soft underfoot. Built to withstand the rigours of family life (pets included), it's also a breeze to clean and care for. Thanks to a sealed top layer that offers resistance against scratches and stains, vacuuming and occasional light mopping are all it takes to keep your Elka luxury vinyl floor looking its best. The Uniclic® system ensures fast installation, with no adhesive required. All you have to do is click the boards down into place on top of Elka LVT lay, making Elka luxury vinyl flooring a great choice for homeowners, renovators and property professionals alike.

## LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and stand the test of time, we apply strict standards to each board, ensuring maximum strength and a flawless finish, the v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of real wood flooring. The grandeur and elegance of our new long plank boards will transform any room in your home. Our new chevron design is very much on-trend, bringing a modern twist to the French-inspired pattern, creating elegance and beauty. The 12mm v-groove range is ideal for high traffic areas.

**AQUA PROTECT:** For enhanced water resistance, we now offer the option to have the NEW revolutionary Aqua Protect technology within the 8mm v-groove range (pages 16-17).

Most of the range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With a lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.



4.2MM SKYLIGHT OAK



# THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR




## BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our luxury vinyl and laminate ranges reflect the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.



### SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.



The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that respect the legal system, land usage

rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.


These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For PEFC™ (Programme for the Endorsement of Forest Certification) certified products, look for the following logo.



## THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.



BRAND  
NEW  
RANGE



luxury vinyl  
flooring



4.2MM SCHOOLHOUSE OAK

Elka luxury vinyl flooring is a cost-effective, hardwearing product that is warm and quiet underfoot. It's 100% waterproof, making it ideal for use anywhere in your home including kitchens, bathrooms and utility rooms. You can enjoy the look of a stylish real wood floor in your home with the added advantages of the scratch resistant, durable surface.

features & advantages	structural composition of luxury vinyl flooring
Fully integrated Uniclic® installation system for ease of fitting	Top performant coating
100% waterproof	Clear vinyl wear layer
Fast & easy Installation	Fine printed vinyl décor layer
Easy maintenance	High impact resistant vinyl core
Warm & quiet underfoot	Extra stabilising layer containing glass fibre
Suitable for underfloor heating	Highly impact resistant vinyl backing



4.2mm luxury vinyl flooring



Choose from six authentic wood designs in our new luxury vinyl range, from timeless and classic browns to on-trend greys, it's the perfect solution throughout your home. Ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms\*, it has the added advantage of being warm and silent underfoot. Suitable for underfloor heating and easy to maintain, it really is a winner.

4.2MM LUXURY VINYL	KEY FEATURES
2.105m <sup>2</sup> per pack 4.2 x 187 x 1251mm 9 planks	Uniclic® locking system - suitable for DIY installation 100% waterproof Suitable for underfloor heating

     	 Suitable for underfloor heating R=0.02m <sup>2</sup> K/W
----------------------	---



4.2MM DORSEY OAK




\*commercial warranty on application



# laminate flooring

8MM HONEY OAK

Elka laminate flooring is a hardwearing floor that can be used either with or without underfloor heating. It's simple and quick to install with the unique Uniclic® system making it ideal for DIY projects. With the option to choose the NEW revolutionary Aqua Protect Technology on 8mm décors, it will remain as pristine as the day it was installed.

features & advantages of laminate flooring	structural composition
<ul style="list-style-type: none"> <li>Fully integrated Uniclic® installation system for ease of fitting</li> <li>High definition surface structures that enhance the authentic appearance of the floor</li> <li>Choice of modern finishes and individualistic designs</li> <li>Flexible fitting options - you can start anywhere within the room</li> <li>Hygienic allergy reducing floor</li> <li>Can be used in conjunction with noise reducing underlay</li> <li>Suitable for use with embedded underfloor heating systems</li> </ul>	<ul style="list-style-type: none"> <li>Transparent overlay prevents against wear and tear</li> <li>Design layer</li> <li>HDF board</li> <li>Moisture resistant High Density Fibre board</li> <li>Barrier layer</li> <li>Balancing board</li> </ul> 

V-GROOVE

# laminated flooring

UNICLIC®

ELKA

We have increased our range of laminate flooring extensively by including new long plank boards that exude quality and elegance. We've also introduced three new chevron designs in the 8mm laminate range. A classic, timeless design that can instantly transform a room.

8MM V-GROOVE

8MM V-GROOVE LONG PLANK

12MM V-GROOVE



8MM FROSTED OAK



8MM SIENNA OAK

AVAILABLE WITH OR WITHOUT AQUA PROTECT TECHNOLOGY



8MM LONG PLANK NUTMEG OAK



12MM TOASTED OAK




12MM STONEY OAK

8mm laminate flooring



Choose your décor with or without Aqua Protect technology.


Select from eight timber effect designs in our 8mm range, designed to look great and last many years, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.



# WATER RESISTANT

This range offers you the option to have the NEW revolutionary Aqua Protect technology for enhanced water resistance.

<b>8MM LAMINATE</b> 2.179m <sup>2</sup> per pack 8 x 192 x 1261mm 9 planks	<b>KEY FEATURES</b> Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment
    Suitable for underfloor heating R=0.057m <sup>2</sup> K/W	 



**BRAND  
NEW  
RANGE**



SKYE OAK

CHEVRON DESIGN

**8mm laminate**

**flooring**

**UNICLIC**

**elka**

8MM LAMINATE	KEY FEATURES
2.179m <sup>2</sup> per pack 8 x 192 x 1261mm 9 planks - left & right planks supplied	Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment

Suitable for underfloor heating R=0.057m <sup>2</sup> K/W		CE		PEFC/07-32-37



STORM OAK



Chevron design  
Skye Oak

**NEW**

**UNICLIC**



Chevron design  
Atlas Oak

**NEW**

**UNICLIC**



Chevron design  
Storm Oak

**NEW**

**UNICLIC**

OUR NEW 8MM LAMINATE CHEVRON DESIGN COMBINES A HERITAGE APPEAL WITH ALL THE PRACTICALITIES OF LAMINATE.

**20**  
year  
domestic  
warranty

**BRAND  
NEW  
RANGE**



ORCHARD OAK

OUR NEW 8MM V-GROOVE LONG PLANK LAMINATE FLOORING RANGE CREATES INSPIRING INTERIORS.

V-GROOVE LONG PLANK

**8mm laminate**

**flooring**

**FitXpress®**

**elka**

8MM LAMINATE	KEY FEATURES
3.444m <sup>2</sup> per pack 8 x 240 x 2050mm 7 planks	FitXpress® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment

<b>E1</b> HCHO	<b>Gfl-s1</b>	<b>DS</b>	<b>EN13 13329</b>	<b>PEFC</b> PEFC/07-32-37
Suitable for underfloor heating R=0.057m <sup>2</sup> K/W		<b>CE</b>		



**20**  
year  
domestic  
warranty

V-GROOVE

# 12mm laminate

flooring



# elka

## AC5

MORE SCRATCH RESISTANT

Choose from four timber effect designs in our 12mm range with its fully integrated Uniclic® installation system. The 12mm range is quieter to walk on, will hide small imperfections in the subfloor and is easier to install due to the thickness of the board. With its AC5 rating, the Elka 12mm laminate range is ideal for high traffic areas and designed to look great and last for many years to come.

12MM LAMINATE	KEY FEATURES
1.453m <sup>2</sup> per pack 12 x 192 x 1261mm 6 planks	Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment




TOASTED OAK



Toasted Oak



Barn Oak



Cinnamon Oak



Stoney Oak



NEW

**5**  
year commercial warranty

**25**  
year domestic warranty

\*on application



# real wood engineered

# flooring

14MM HERRINGBONE  
DARK SMOKED OAK

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.

features & advantages	structural composition of engineered flooring
<ul style="list-style-type: none"> <li>Can be laid over embedded underfloor heating</li> <li>Can be sanded and refinished</li> <li>Made from 100% natural wood</li> <li>Dimensional stability</li> <li>Can be laid in all residential areas (except those of high humidity)</li> </ul>	<ul style="list-style-type: none"> <li>Carefully selected real wood wear layer</li> <li>Latest technology machining for ultimate stability</li> <li>Engineered ply construction for a stable inner core</li> <li>Superior glue throughout ensures a long carefree life</li> <li>Selected veneer backing for added stability</li> </ul> 

real wood engineered


flooring



With all the aesthetics of a real wood floor, our real wood engineered flooring is a practical design choice for any home. Elka offers the most extensive choice of thickness, with options available using our patented Uniclic® system or the more traditional Tongue and Groove system. With exceptional strength and timeless beauty, all of our floors in this range are designed to last the test of time.



The Uniclic® installation system is a glue-free process which is fast and easy to lay. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, you can enjoy a quality finish for years to come.



- 12.5MM
- 13.5MM
- 14MM



Each plank features a tongue and groove format. Depending on the format of the board each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.



- 14MM
- 18MM
- 20MM

NOTE: Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



12.5MM DOUBLE WHITE OAK UNICLIC



13.5MM SUMMER OAK UNICLIC



14MM RURAL OAK TONGUE & GROOVE



14MM CARAMEL OAK UNICLIC



18MM WASHED & SMOKED OAK TONGUE & GROOVE



20MM BRUSHED & OILED OAK TONGUE & GROOVE

12.5mm real wood engineered

flooring



Choose any floor from our 12.5mm range with its 2.2mm real wood wear layer and you have the added confidence that your floor is fully PEFC™ certified. It can be used in conjunction with underfloor heating.

<b>12.5MM REAL WOOD ENGINEERED</b>
12.5 x 145 x 1820mm 1.583m <sup>2</sup> per pack 2-sided bevel (long side)
<b>KEY FEATURES</b>
Solid Oak - 2.2mm wear layer HDF moisture resistant core Uniclic® locking system - suitable for DIY installation PEFC™ - Caring for the environment



ANTIQUE OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Double White Oak

UV brushed matt  
lacquered finish



Classic White Oak

UV brushed matt  
lacquered finish



Golden Oak

UV brushed matt  
lacquered finish



Antique Oak

UV brushed matt  
lacquered finish



13.5mm real wood engineered

flooring



Our 13.5mm range provides both modern and traditional options with a 2.5mm real wood wear layer and the revolutionary Uniclic locking system, renowned for strength and ease of installation. All floors are compatible for underfloor heating and are PEFC™ certified.

<b>13.5MM REAL WOOD ENGINEERED</b> 13.5 x 190 x 1820mm 2.074m <sup>2</sup> per pack 2-sided bevel (long side)
<b>KEY FEATURES</b> Solid Oak - 2.5mm wear layer Real wood spruce core Uniclic® locking system - suitable for DIY installation PEFC™ - Caring for the environment



SUMMER OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Spring Oak

NEW

Brushed matt  
lacquered finish



Summer Oak

NEW

Brushed & oiled finish



Winter Oak

NEW

Brushed matt  
lacquered finish



WINTER OAK



14mm real wood engineered flooring





With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating. This range includes the revolutionary Uniclic® system which is renowned not only for its strength, but also for the ease and flexibility of installation.

<b>14MM REAL WOOD ENGINEERED</b>
14 x 190 x 1820mm 2.075m <sup>2</sup> per pack 4 or 2-sided bevel (long side)

<b>KEY FEATURES</b>
Solid oak - 3mm wear layer Real wood core Up to 30% starter boards Uniclic® locking system



Suitable for underfloor heating

Rustic Brushed & Oiled Oak / Rustic Lacquered Oak / Caramel Oak Truffle Oak / Super Rustic Oak <b>14x190x1820mm</b> <b>2.075m<sup>2</sup> per pack</b> <b>4-sided bevel</b>
--

Champagne Oak / Russet Oak <b>14x190x1820mm</b> <b>2.075m<sup>2</sup> per pack</b> <b>2-sided bevel (long edge)</b>
--

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



# 14mm real wood engineered flooring

TONGUE & GROOVE


Our 14mm real wood engineered floors exude warmth and character just like a solid wood floor. These floors use the traditional tongue and groove fixing mechanism and the Herringbone design means that you achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.

14MM REAL WOOD ENGINEERED	
HERRINGBONE 14 x 120 x 600mm 0.864m <sup>2</sup> per pack	RURAL OAK 14 x 189 x 1860mm 2.812m <sup>2</sup> per pack Up to 30% starter boards
KEY FEATURES	
Tongue & Groove locking system UV Oiled & Smoked finish Solid oak - 3mm wear layer Real wood core / 4-sided bevel	
 Suitable for underfloor heating  Fully adhere using Elka Trowel Flex or Elka Rigid	




RURAL OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Rural Oak

TONGUE & GROOVE



Herringbone Light Smoked Oak

TONGUE & GROOVE



HERRINGBONE LIGHT SMOKED OAK



Herringbone Dark Smoked Oak

TONGUE & GROOVE



# 18mm real wood engineered flooring

TONGUE & GROOVE

This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.

<b>18MM REAL WOOD ENGINEERED</b> 18 x 150mm x random lengths 4mm wear layer / 4-sided bevel 1.98m <sup>2</sup> per pack
<b>KEY FEATURES</b> Solid 4mm wear layer, rustic grade Available in: Oiled or Lacquered finish Random lengths: 400-1800mm Ensures excellent thermal and acoustic properties







Suitable for underfloor heating




WALNUT

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



# 20mm real wood engineered flooring

TONGUE & GROOVE

This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.


<b>20MM REAL WOOD ENGINEERED</b>	 Suitable for underfloor heating 
20 x 189 x 1860mm	
2.11m <sup>2</sup> per pack 4-sided bevel	

<b>KEY FEATURES</b>
Solid 4mm wear layer
Structural & load bearing, suitable to fix straight to joists
Ensures excellent thermal and acoustic properties
Up to 30% of starter boards included




AUTUMN OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




Rustic UV Lacquered Oak

TONGUE & GROOVE




Rustic UV Brushed & Oiled Oak

TONGUE & GROOVE



Autumn Oak  
UV brushed & oiled rustic+ finish


TONGUE & GROOVE



Copper Oak  
UV brushed & oiled rustic+ finish

TONGUE & GROOVE





**solid wood**  
**flooring**

RUSTIC UV LACQUERED OAK

Made from high quality premium, solid timber, the natural colours of Elka solid wood flooring will add natural character and warmth, making it a solid investment for any home. Our strict production process means that every board is checked by hand at least three times guaranteeing a high level of quality in every detail of your new floor.

features & advantages of solid flooring	structural composition
<p>Traditional 18mm solid floors                      Only selected and graded timbers used                      Contemporary and stylish finishes to suit every home                      Random length boards                      20 year structural warranty                      To fit, adhere it direct to a sub floor, nail or screw it to timber, or float it using elka 3in1 underlay                      PEFC™ certified</p>	<p>Carefully selected timber, sourced from responsibly managed forests                      Tongue and groove construction allowing multiple fixing options                      Top surface is finished with lacquer or oil to enhance hardness and durability</p> 

**solid wood**  
**flooring**

TONGUE & GROOVE


Each 18mm Elka solid wood board is made from 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.

<b>SOLID WOOD</b>
18 x 130mm x random lengths 2.184m <sup>2</sup> per pack
<b>KEY FEATURES</b>
Traditional 18mm solid flooring Rustic Grade Only selected and graded timbers used Random length boards 20 year structural warranty




RUSTIC UV BRUSHED & OILED OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




Rustic UV Lacquered Oak

TONGUE & GROOVE



Rustic UV Brushed & Oiled Oak

TONGUE & GROOVE



Golden Oak  
UV lacquered,  
aged and hand finished

TONGUE & GROOVE



Grey Oak  
UV lacquered  
finish

TONGUE & GROOVE

NEW





## EVERYTHING YOU NEED TO PREPARE, FIX, FINISH & MAINTAIN YOUR ELKA FLOOR

**PREPARE**  
PAGE 45

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.


**FIX / FINISH**  
PAGES 46-49

The Elka range of high performance fixing products provide the right solution for every type of flooring.

**MAINTAIN**  
PAGE 50-51

Keep your floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood, laminate and luxury vinyl floors.

### ELKA LVT LAY



NEW

#### 1.5MM UNDERLAY WITH VPB VAPOUR PROOF BARRIER

Lightweight and easy to cut - 9.6m<sup>2</sup> / pack  
Supporting 1.5mm thick underlay for use with Elka luxury vinyl flooring  
Great acoustic insulation performance: 19db sound reduction  
Low thermal resistance / High compressive strength  
Built in vapour proof barrier with taped overlap.

**THE ONLY UNDERLAY SUITABLE FOR ELKA LUXURY VINYL FLOORING**

L: 8m W: 1.2m Thick: 1.5mm

### ELKA LAY



#### 3MM UNDERLAY

Handy lightweight 15m<sup>2</sup> roll  
Robust 3mm underlay for use with laminate and real wood engineered flooring

L: 15m W: 1m Thick: 3mm

### ELKA DUO LAY



#### 3MM UNDERLAY WITH VPB VAPOUR PROOF BARRIER

Handy lightweight 15m<sup>2</sup> roll  
Robust 3mm underlay for use with laminate and real wood engineered flooring  
Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations  
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm

### ELKA COMFORT



#### 5MM UNDERLAY WITH CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m<sup>2</sup> roll  
Luxury 5mm underlay for use with laminate and real wood engineered flooring  
20db sound reduction  
Low thermal resistance  
Cushioned support increases underfoot comfort  
Shock absorbent / vapour barrier  
Exceptional acoustic insulation performance  
Suitable for embedded underfloor heating  
Integrated VPB system

L: 15m W: 1m Thick: 5mm

### ELKA HUSH



NEW

#### 5MM UNDERLAY WITH VPB / SOUND PROOFING

Handy lightweight boards - 19 no. size 600 x 856mm / total coverage 9.76m<sup>2</sup>/pk  
Luxury 5mm underlay for use with laminate and real wood engineered flooring  
Floor levelling characteristics  
Exceptional acoustic insulation performance 23db sound reduction  
Smooths & levels minor imperfections and braces board joints for better support  
High thermal resistance: 2 tog  
Durable: withstands high loads of 10T/m<sup>2</sup>  
Non-absorbing, mould resistant boards

L: 856mm W: 600mm (x19 boards) Thick: 5mm

EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

### ELKA GRIP

QUALITY ADHESIVE FOR USE WITH ELKA TONGUE & GROOVE REAL WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

**Features and Advantages**

- High strength impact resistant bond that is stronger than wood itself
- Dries clear
- Coverage 6 -10m<sup>2</sup> of T&G (dependent on the depth of the flooring groove)
- Easy clean-up using a damp cloth
- Handy 500ml bottle



Suitable for use with **real wood engineered** flooring.

### ELKA TONGUE TITE

SUPERB PRODUCT FOR SCREW FIXING SOLID OR REAL WOOD ENGINEERED (18MM+) FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

**Features and Advantages**

- No need for glue or to hire a nail gun, drill bit is included in every pack.
- Easy to install in difficult locations
- If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
- No need to drill pilot holes, even in hardwoods.
- One size fits all boards (3.5 x 45mm)
- Boxed in 200's (covers up to 10m<sup>2</sup>)



Suitable for use with **solid** and **real wood engineered** flooring.

### ELKA FITTING KIT

FOR FITTING LAMINATE AND MOST UNICLIC® FLOORING QUICKLY AND EASILY



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

**Features and Advantages**

- The spacers maintain an expansion gap around perimeter
- Pull bar allows you to pull planks together at the end of rows
- Tapping block protects edges of the boards when tapping them together



Suitable for use with **laminated** and **real wood engineered** flooring.

### ELKA HYDRO-FLEX

A LOW MODULOUS, NEUTRAL-CURING, SILICONE SEALANT FOR A WATERTIGHT SEAL WITH LUXURY VINYL FLOORING

**Features and Advantages**

For filling the transition gap around the perimeter of the room and for creating a watertight seal for wet environments.

**NEW**

Coverage: 10.5 linear metres when used as directed, instructions on packaging

Suitable for use with **luxury vinyl** flooring.



### ELKA BOND RIGID

HEAVY DUTY SYNTHETIC POLYMER FOR A RIGID BOND.

**Features and Advantages**

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

The Elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.

Coverage: 16m<sup>2</sup> when used as directed, instructions on packaging

Suitable for use with **solid** and **real wood engineered** flooring.



### ELKA BOND FLEX

ELKA BOND FLEX ADHESIVE RANGE IS BASED ON THE LATEST DEVELOPMENTS IN HYBRID TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS:

**Features and Advantages**

- 100% active, solvent and water-free
- Permanently flexible - compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Plyable product gives excellent sound reduction properties

Range is suitable for use with **solid** and **real wood engineered** flooring.

### ELKA BOND DIY FLEX

Coverage: 1m<sup>2</sup> when used as directed, instructions on packaging



### ELKA BOND TRADE FLEX

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

Coverage: 18m<sup>2</sup> when used as directed, instructions on packaging



### ELKA BOND TROWEL FLEX

2 x 7kg foil packs Pack includes trowel and wipes

Coverage: 14m<sup>2</sup> when used as directed, instructions on packaging





EVERYTHING YOU NEED TO FINISH YOUR ELKA FLOOR

LAMINATE

LAMINATE PROFILES AND ADAPTORS SUITABLE FOR LAMINATE FLOORING.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new 3in1 SmartProfile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile and edge profile, all in a single profile.



**1** Expansion Profile 1850 x 33.4 x 10.5 mm  
**2** Adaptor Profile 1850 x 43.7 x 12.5 mm  
**3** Edge Profile 1850 x 33.4 x 12.5 mm

FEATURES AND ADVANTAGES OF THE 3IN1 LAMINATE PROFILE

Laminate wood finish	Flexible - 3 profiles in 1
Simply trim to the required profile type using the trimmer included in each pack	Extra height adjustment can be gained when applied using Elka bond

Length: 1850mm, ideal for two door widths  
 Suitable for use on floors between 8-12mm with the supporting adjustable track provided

ELKA SCOTIA PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your elka laminate floor, it's the perfect solution.



REAL WOOD ENGINEERED / SOLID

REAL WOOD PROFILES AND ADAPTORS SUITABLE FOR SOLID AND REAL WOOD ENGINEERED FLOORING.

Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.



**1** Expansion Profile to cover expansion gaps between two adjacent flooring products of the same height.  
**2** Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.  
**3** Edge Profile to finish the flooring where a dressed edge is required eg. against a wall or window.

FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

Real wood veneer finish	Flexible - 3 profiles in 1
Simply trim to the required profile type using the trimmer included in each pack	Extra height adjustment can be gained when applied using elka bond

Available in two lengths:  
 930mm in lacquered white oak and unfinished\* white oak  
 2150mm in lacquered white oak or unfinished\* white oak.  
 Suitable for use on floors between 14-20mm with the supporting adjustable track provided

\*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.

ELKA OAK SCOTIA PROFILE

The Elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



EVERYTHING YOU NEED TO MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Clean + Protect kit for **oiled** real wood flooring  
This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring  
This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



SUITABLE FOR USE WITH LUXURY VINYL

0.5 Litre

**ALL PURPOSE CLEANER** **ALL Concentrate PURPOSE CLEANER**

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on **luxury vinyl, laminate, lacquered & oiled** finished floors.



0.5 Litre

**OILED FINISH PROTECTOR** **LACQUERED FINISH PROTECTOR** **SCUFF MARK REMOVER**

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

CARING FOR YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate and luxury vinyl flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.

PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

# ELKA FLOORING PRODUCT OVERVIEW

## 4.2mm luxury vinyl flooring

 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>
PRODUCT: ELL40154 PACK SIZE: 2.105m <sup>2</sup>	SAP: 400054448 PACKS/PALLET: 52	PRODUCT: ELL40150 PACK SIZE: 2.105m <sup>2</sup>	SAP: 400054452 PACKS/PALLET: 52
PRODUCT: ELL40147 PACK SIZE: 2.105m <sup>2</sup>	SAP: 400054449 PACKS/PALLET: 52	PRODUCT: ELL40151 PACK SIZE: 2.105m <sup>2</sup>	SAP: 400054450 PACKS/PALLET: 52

 <b>NEW</b>	 <b>NEW</b>
PRODUCT: ELL40065 PACK SIZE: 2.105m <sup>2</sup>	SAP: 400054451 PACKS/PALLET: 52
PRODUCT: ELL40155 PACK SIZE: 2.105m <sup>2</sup>	SAP: 400054453 PACKS/PALLET: 52

## 8mm laminate flooring / 8mm laminate flooring with Aqua Protect

			 <b>NEW</b>
PRODUCT: ELV207 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054663 PACKS/PALLET: 52	PRODUCT: ELV182 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054660 PACKS/PALLET: 52
PRODUCT: ELV207AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065461 PACKS/PALLET: 52	PRODUCT: ELV182AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065458 PACKS/PALLET: 52
PRODUCT: ELV183 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054661 PACKS/PALLET: 52	PRODUCT: ELV203 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054659 PACKS/PALLET: 52
PRODUCT: ELV183AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065459 PACKS/PALLET: 52	PRODUCT: ELV203AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065457 PACKS/PALLET: 52

			
PRODUCT: ELV281 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054662 PACKS/PALLET: 52	PRODUCT: ELV223 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054664 PACKS/PALLET: 52
PRODUCT: ELV281AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065460 PACKS/PALLET: 52	PRODUCT: ELV223AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065462 PACKS/PALLET: 52
PRODUCT: ELV224 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054665 PACKS/PALLET: 52	PRODUCT: ELV225 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400054676 PACKS/PALLET: 52
PRODUCT: ELV224AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065463 PACKS/PALLET: 52	PRODUCT: ELV225AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065464 PACKS/PALLET: 52

 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>	<p>TO SELECT THE AQUA PROTECT FLOORING, USE THE PRODUCT CODE HIGHLIGHTED (ENDING AP)</p> 	
PRODUCT: ELV284 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400055751 PACKS/PALLET: 52	PRODUCT: ELV282 PACK SIZE: 2.179m <sup>2</sup>		SAP: 400055749 PACKS/PALLET: 52
PRODUCT: ELV283 PACK SIZE: 2.179m <sup>2</sup>	SAP: 400055750 PACKS/PALLET: 52			

## 8mm long plank laminate flooring

 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>
FitXpress® PEFC	FitXpress® PEFC	FitXpress® PEFC	FitXpress® PEFC
PRODUCT: ELW122 PACK SIZE: 3.444m <sup>2</sup>	SAP: 400054933 PACKS/PALLET: 33	PRODUCT: ELW120 PACK SIZE: 3.444m <sup>2</sup>	SAP: 400054935 PACKS/PALLET: 33
PRODUCT: ELW124 PACK SIZE: 3.444m <sup>2</sup>	SAP: 400054934 PACKS/PALLET: 33	PRODUCT: ELW121 PACK SIZE: 3.444m <sup>2</sup>	SAP: 400054932 PACKS/PALLET: 33

## 12mm laminate flooring **ACS**

			 <b>NEW</b>
PRODUCT: ELT226 PACK SIZE: 1.453m <sup>2</sup>	SAP: 400054690 PACKS/PALLET: 52	PRODUCT: ELT216 PACK SIZE: 1.453m <sup>2</sup>	SAP: 400054691 PACKS/PALLET: 52
PRODUCT: ELT279 PACK SIZE: 1.453m <sup>2</sup>	SAP: 400054689 PACKS/PALLET: 52	PRODUCT: ELT187 PACK SIZE: 1.453m <sup>2</sup>	SAP: 400052965 PACKS/PALLET: 52

## 12.5mm real wood engineered flooring

			
UNICLIC® PEFC	UNICLIC® PEFC	UNICLIC® PEFC	UNICLIC® PEFC
PRODUCT: ELKABMLDWOAK PACK SIZE: 1.583m <sup>2</sup>	SAP: 422756 PACKS/PALLET: 66	PRODUCT: ELKABMLWOAK PACK SIZE: 1.583m <sup>2</sup>	SAP: 419540 PACKS/PALLET: 66
PRODUCT: ELKABMLGOAK PACK SIZE: 1.583m <sup>2</sup>	SAP: 422584 PACKS/PALLET: 66	PRODUCT: ELKABMLAOAK PACK SIZE: 1.583m <sup>2</sup>	SAP: 422583 PACKS/PALLET: 66

## 13.5mm real wood engineered flooring

 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>
UNICLIC® PEFC	UNICLIC® PEFC	UNICLIC® PEFC
PRODUCT: ELKA13SPRING SAP: 400056444 PKS/PLT: 55	PRODUCT: ELKA13SUMMER SAP: 400056698 PKS/PLT: 55	PRODUCT: ELKA13WINTER SAP: 400056697 PKS/PLT: 55


## 14mm real wood engineered flooring

			
UNICLIC® PEFC	UNICLIC® PEFC	UNICLIC® PEFC	UNICLIC® PEFC
PRODUCT: ELKA14CHAMP SAP: 423558 PK: 2.075m <sup>2</sup>	PKS/PLT: 55	PRODUCT: ELKA14BOROAKUC SAP: 400020783 PK: 2.075m <sup>2</sup>	PKS/PLT: 55
PRODUCT: ELKA14LROAKUC SAP: 400020782 PK: 2.075m <sup>2</sup>	PKS/PLT: 55	PRODUCT: ELKA14TRUFFLE SAP: 400017028 PK: 2.075m <sup>2</sup>	PKS/PLT: 55


		
UNICLIC® PEFC	UNICLIC® PEFC	UNICLIC® PEFC
PRODUCT: ELKA14SR0AK SAP: 440712 PK: 2.075m <sup>2</sup>	PKS/PLT: 55	PRODUCT: ELKA14CAMEL SAP: 440711 PK: 2.075m <sup>2</sup>
PRODUCT: ELKA14RUSSET SAP: 423557 PK: 2.075m <sup>2</sup>	PKS/PLT: 55	

		
TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE
PRODUCT: ELKA14RURAL SAP: 432127 PK: 2.812m <sup>2</sup>	PKS/PLT: 40	PRODUCT: ELKA14HBL0AK SAP: 400036671 PK: 0.864m <sup>2</sup>
PRODUCT: ELKA14HBD0AK SAP: 400036670 PK: 0.864m <sup>2</sup>	PKS/PLT: 80	

## 18mm real wood engineered flooring

			
TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE
PRODUCT: ELKA18W&SOAK SAP: 400009827 PK: 1.98m <sup>2</sup>	PKS/PLT: 56	PRODUCT: ELKA18ENHANCEDOAK SAP: 400009828 PK: 1.98m <sup>2</sup>	PKS/PLT: 56
PRODUCT: ELKA18NATIVEOAK SAP: 400016941 PK: 1.98m <sup>2</sup>	PKS/PLT: 56	PRODUCT: ELKA18LBWALNUT SAP: 431483 PK: 1.98m <sup>2</sup>	PKS/PLT: 56


## 20mm real wood engineered flooring

			
TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE
PRODUCT: ELKA20RUVLOAK SAP: 400037761 PK: 2.11m <sup>2</sup>	PKS/PLT: 35	PRODUCT: ELKA20RBOOAK SAP: 400037729 PK: 2.11m <sup>2</sup>	PKS/PLT: 35
PRODUCT: ELKA20AUTUMNOAK SAP: 37763 PK: 2.11m <sup>2</sup>	PKS/PLT: 35	PRODUCT: ELKA20COPPEROAK SAP: 400037762 PK: 2.11m <sup>2</sup>	PKS/PLT: 35

## 18mm solid wood flooring

			 <b>NEW</b>
TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE	TONGUE & GROOVE
PRODUCT: ELKA130LROAK SAP: 400058692 PK: 2.184m <sup>2</sup>	PKS/PLT: 48	PRODUCT: ELKA130BOROAK SAP: 400058721 PK: 2.184m <sup>2</sup>	PKS/PLT: 48
PRODUCT: ELKA130GOLDOAK SAP: 400058694 PK: 2.184m <sup>2</sup>	PKS/PLT: 48	PRODUCT: ELKA130GREYOAK SAP: 400058693 PK: 2.184m <sup>2</sup>	PKS/PLT: 48

PREPARE



ELKA LVT LAY  
627369



ELKA LAY  
609920



ELKA DUO LAY  
609919



ELKA COMFORT LAY  
613127



ELKA HUSH  
627370

FIX



ELKA GRIP  
609957



ELKA TONGUE TITE  
609969



ELKA FITTING KIT  
610436



**NEW**  
ELKA HYDRO-FLEX  
625518



ELKA BOND RIGID  
609965



ELKA BOND DIY FLEX  
609956



ELKA BOND TRADE FLEX  
609970

ELKA BOND TRADE FLEX REFILL  
609971



ELKA BOND TROWEL FLEX  
609972

FINISH



LAMINATE PROFILES



ELKA 3in1 PROFILE

- ELV207 SFP60705
- ELV223 SFP60106
- ELV203 SFP60557
- ELV183 SFP60018
- ELV182 SFP60931
- ELV224 SFP60692
- ELV225 SFP60915
- ELV281 SFP01457
- ELT216 SFP60581
- ELT226 SFP60106
- ELT187 SFP60087
- ELT279 SFP60582
- ELV282 SFP60917
- ELV283 SFP60928
- ELV284 SFP60142
- ELW121 SFP60087
- ELW122 SFP60106
- ELW124 SFP60138
- ELW120 SFP60755



ELKA LAMINATE SCOTIA PROFILE

ELKA LAMINATE SCOTIA

- ELV207 SC60705
- ELV223 SC60106
- ELV203 SC60557
- ELV183 SC60018
- ELV182 SC60931
- ELV224 SC60692
- ELV225 SC60915
- ELV281 SC01457
- ELT216 SC60581
- ELT226 SC60106
- ELT187 SC60087
- ELT279 SC60582
- ELV282 SC60917
- ELV283 SC60928
- ELV284 SC60142
- ELW121 SC60087
- ELW122 SC60106
- ELW124 SC60138
- ELW120 SC60755



REAL WOOD PROFILES



ELKA 3in1 REAL WOOD PROFILE

- 2.15 WHITE OAK 609954
- 2.15 UNFINISHED OAK 609951
- 0.93 WHITE OAK 609955
- 0.93 UNFINISHED OAK 609952
- 0.93 WALNUT 609953



ELKA OAK SCOTIA PROFILE

ELKA OAK SCOTIA PROFILE

- 609966

MAINTAIN



CLEAN & PROTECT FOR OILED WOOD FLOORING  
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING  
613360



ALL PURPOSE CLEANER FOR WOOD FLOORING  
611387



ALL PURPOSE CLEANER CONCENTRATE  
611386



OILED FINISH PROTECTOR  
613217



LACQUERED FINISH PROTECTOR  
613218



SCUFF MARK REMOVER  
613216

# elka®

[www.elkaflooring.co.uk](http://www.elkaflooring.co.uk)

 **UNILIN**  
UNILIN DISTRIBUTION LTD

**HEAD OFFICE**

Unit 5, Rampart Business Centre  
Greenbank Industrial Estate  
Newry, County Down  
BT34 2QU  
T: +44 (0) 28 3025 0477  
from ROI: 048 3025 0477  
F: +44 (0) 28 3025 0223

**DISTRIBUTION CENTRE**

Unit 4, The Furrows  
Barton Dock Road  
Trafford Park  
Manchester  
M32 0SZ  
T: 0844 8118 288  
F: 0844 8118 289

