



*your complete
decking system*





How to buy Arbordeck

Visit www.arbordeck.co.uk or contact us by phone, fax or email sales@arborforestproducts.co.uk

How to build Arbordeck

Are you a DIY enthusiast? Visit www.arbordeck.co.uk and download our How to Build brochure. Alternatively contact us by phone, fax or email for the brochure to be posted to you.

If you would like your deck professionally installed please contact us and we can put you in touch with a Timber Decking Association 'DeckMark'™ accredited installer.



The mark of responsible forest management



Promoting Sustainable Forest Management



wood. for good.



FORESTS FOREVER

Arbordeck uses timber from forest sources that are managed to strict international environmental standards.



QUALITY ASSESSED
FIRM NO: 0005

DeckMark™ is a quality assurance scheme introduced by the Timber Decking and Cladding Association to confirm manufacturers' compliance with Best Practice guidance and all relevant British Standards. For further information please contact the TDCA on 01977 558 147.

arborforest
Products Ltd

Arbor Forest Products Ltd
Barrow Road, New Holland
North Lincolnshire
DN19 7RR

Tel 01469 532 300
Fax 0844 801 33 37
Email sales@arborforestproducts.co.uk
Web www.arbordeck.co.uk



@_arbordeck



www.pinterest.com/arbordeck

The information contained within this publication is given in good faith. Every effort has been made to ensure that the guidance given is accurate and Arbordeck cannot accept any liability for loss or damage arising from the information contained herein. All photography and colours are reproduced as accurately as the print process will allow.

Timber is a natural product
Arbordeck is manufactured from natural timbers and, when exposed to the elements, there may be some surface degradation, movement and checking due to the action of sunlight and moisture. This is a natural process and does not affect the strength of the timber.

The colour of your decking will change naturally over time too. Some options available are to apply a regular coat of maintenance oil; completely change your deck's appearance with the addition of paint and stains or alternatively leave it to weather naturally to an attractive silver-grey.

For further details on installation, maintenance and much more please download our guides at www.arbordeck.co.uk

Thank you to the following designers, installers and organisations for the use of project photography in this brochure:

Arbordeck:

Distinctive Landscapes, Mansfield
GMS Leisure Limited, Truro
Halcyon Days, Nottingham
Timberscapes, Sheffield

Trex:

Gisborne Homes, Derby
Trex Company, Inc.
Whalley Construction, Darwen

Special thanks to Shackletons
Home & Garden, Clitheroe

The installers whose projects are shown in this brochure are independently owned and operated, and are neither affiliated with nor agents or representatives of Arbordeck. Arbordeck makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of these installers.





Designed for your lifestyle

Welcome to your 2016 Arbordeck brochure.

Arbordeck® is manufactured by a British company with more than 175-years' experience in the timber industry, and offers arguably the widest choice of decking products to help you extend your home into the garden.

The range includes smooth and grooved softwood boards, a choice of enhanced grip deck boards, joists and a wide selection of balustrades with a range of styles and finishes for both commercial and domestic applications.

So, whether traditional or contemporary, Arbordeck has the garden decking products to suit your taste and budget.



displays near you
To find your nearest lifestyle display
call us on 01469 532 300



advice and tips
Decking ideas, helpful tips and more!
www.arbordeck.co.uk

sustainable in every sense

Arbordeck is a founder member of Forests Forever, the environmental voice of the industry and we work closely with both FSC® and PEFC.

We're proud to be one of the few manufacturers to offer a full Chain of Custody Certified decking system.

This provides full traceability, ensuring that all of our products come from well-managed sources.

Sustainability is also about providing a deck that will look good for years to come. This is why we only use quality European timbers from northern latitudes, where the wood fibres offer a closely packed structure and increased strength and stability.

We also treat all our softwood products in the Arbordeck range, even the components you don't see when your deck is completed, with

Naturewood, an advanced preservative to keep your deck in top condition.



The mark of
responsible forest
management



A high-angle photograph of a wooden deck. The deck is made of light-colored wooden planks and has a matching wooden railing with vertical balusters. In the center of the deck, there is a small wooden table with four chairs. To the right, there is a large wooden planter box containing a tall, green plant. The background shows a brick wall and a covered area.

Practical Solutions

Your Arbordeck deck can bring in to use difficult or inaccessible garden areas that would be near impossible to undertake with other landscaping materials.

The introduction of a relatively straightforward deck on a steeply sloping site can produce an area for relaxing and entertaining with excellent storage space below the deck.

So, whether you're looking for a practical and attractive solution for a balcony or a cost-effective alternative to a conventional lawn, decking can provide a year round extension to your living space and, with some cleaning and oiling, will be as good in years to come as the day it was installed.

Please contact Arbordeck for maintenance advice.


your creative options are endless with Arbordeck

Not only practical and cost-effective, with careful design, decking can add real value to your home.


Clever changes of board direction, mixing smooth and grooved boards, introducing more than one deck level, creating shapes, careful selection of balustrade style or the addition of design features such as rope and deck planters will create an individual design statement.

You can even add a simple gazebo using Arbordeck deck boards and support timbers.


The creative options are endless with Arbordeck!



see our products in action
www.arbordeck.co.uk



useful videos and advice
www.arbordeck.co.uk





*create a striking design statement,
the only limit is your imagination!*



create a relaxing seating area



Introduce different shapes and levels



*Add special design features
such as deck planters*

request a free sample

Call 01469 532 300 or visit:
www.arbordeck.co.uk



*solution for your
patio area*

need an installer?

Call 01469 532 300 or visit:
www.arbordeck.co.uk

With decking from Arbordeck you can simply and cost-effectively extend your house into your garden, much like the photograph shown.

Contemporary or classic, we have the products to make your design a reality.

solution for your sloping garden

If you've a sloping garden you can transform it from an unused space to a place to relax, unwind and entertain, like the deck shown!

Plus, whether your tastes are modern or traditional, we have the product to make your dream a reality.

request a free sample

Call 01469 532 300 or visit:
www.arbordeck.co.uk

Choose your railing style

Arbordeck railing products give you the opportunity to create attractive and functional rails to suit your personal tastes and style.


Whether you prefer a traditional 'turned' look or a mixture of timber and aluminium, you'll find exactly what you're looking for. Clear safety glass can be used to provide unbroken views across your garden whilst a contemporary rail system creates a practical flat surface which can hold plates and glasses.

The page opposite gives you a flavour of the different looks which can be achieved for your garden.






Aluminium



Black Baroque



Black Arc



Classic Black

safety glass



Clear Safety Glass

classic



Turned



Stop Chamfered



Square

contemporary



Contemporary



Chevron



Sunset

safety first

Both Arbordeck and Trex offer a range of solutions for those areas where you need extra grip properties, such as steps and ramps, or even for a complete deck, particularly useful for schools and colleges.

You can be assured of quality and longevity with all Arbordeck and Trex Contour enhanced grip decking, which all surpass the minimum requirement for 'low-slip potential' (see below).

Both are also sure to stand the test of time. Softwood products, machined from high quality, slow grown joinery timbers are treated with Osmose Naturewood to protect against rotting and insect attack. Trex Contour composite decking, which is made from 95% recycled materials, is guaranteed not to fade, stain, rot or split and also boasts enhanced grip properties.

For further guidance and maintenance information please contact Arbordeck.



To see a video about our low-slip decking please visit www.youtube.com/arbordeck

Low-Slip Testing


To meet the HSE's recommendation for low-slip potential, products need to achieve a minimum reading of **36 on the pendulum test** in both wet and dry conditions. Arbordeck *enhanced grip boards* surpass the minimum requirement for low-slip potential when the boards are perpendicular to the direction of traffic.

For in-depth test results, further advice and support please contact Arbordeck.

Trex Contour composite decking



Pebble Grey
25 x 140mm



Torino Brown
25 x 140mm

Softwood enhanced-grip decking



Two Strip Smooth
33 x 120mm



Two Strip Grooved
Thinline
27 x 119mm



Two Strip Grooved
33 x 120mm

The professionals' choice for commercial & domestic projects...

Strong environmental accreditations and a wide choice of materials and finishes makes Arbordeck the natural choice for the specifier.

Perfect for projects as diverse as schools and leisure parks, office break-out areas, restaurants, pubs and clubs, Arbordeck is more than a match for even the most demanding applications.

If you require information on commercial regulations please contact Arbordeck for advice and support

request a free sample

Call 01469 532 300 or visit:
www.arbordeck.co.uk

Components list

Premium



001.



002.



003.



004.



005.



006.



007.



008.



009.

Deck Boards (depth / width)

001. Premium Smooth & Grooved Reversible Board

33mm x 120mm
Lengths: various
Code: g038125RE

002. Grooved & Reeded Reversible Board

27.5mm x 144mm
Lengths: various
Code: g032150RE

003. Smooth & Grooved Reversible Board

27mm x 145mm
Lengths: various
Code: g032150REV

004. Smooth & Grooved Reversible Board

27.5mm x 118mm
Lengths: various
Code: g032125RED

005. Grooved & Reeded Reversible Board

33mm x 120mm
Lengths: various
Code: g038125RED

006. Reversible Board

20mm x 95mm
Lengths: various
Code: g025100RDC

007. Two Strip Smooth Enhanced Grip Board

33mm x 120mm
Lengths: various
Code: mrg038125AGG3

008. Two Strip Grooved Thinline Enhanced Grip Board

27mm x 119mm
Lengths: various
Code: mrg032125AGG2

009. Two Strip Grooved Enhanced Grip Board

33mm x 120mm
Lengths: various
Code: mrg038125AGG2

Joists, Rails & Support Timber

(depth / width / length)

010. Utility Rail

For use as both hand and base rail
32mm x 66mm x 1.8m
Code: g032066TR
32mm x 66mm x 3.6m
Code: g032066TR36

010.



011. Utility Rail

For use as both hand and base rail; requires fillet
45mm x 70mm
Lengths: 1.8m, 3.6m
Code: g045070TR

011.



012. Fillet

For use with the 45mm Utility Rail
15mm x 41mm
Code: g015041TFR

012.



013. Contemporary 4 Smooth Rail & Smooth Deck Board

For use as both rail and deck board
33mm x 95mm
Lengths: 3.6m, 4.8m
Code: g038100TR

013.



014. Contemporary 6 Smooth Rail & Smooth Deck Board

For use as both rail and deck board
33mm x 145mm
Lengths: 3.6m, 4.8m
Code: g038150TR

014.



015. Planed Support Post

Treated to Use Class 4 for in-ground contact
94mm x 94mm x 2.4m
Code: mrg100100TP

015a. Turned Support Newel

Treated to Use Class 4 for in-ground contact
90mm x 90mm x 1.8m
Code: g090090TT18

015.



015b. Chamfered Support Newel

Treated to Use Class 4 for in-ground contact
90mm x 90mm x 1.8m
Code: g090090SC18



request a free sample

Call 01469 532 300 or visit:
www.arbordeck.co.uk

For composite components
turn to **page 12** of the Trex section.

Spindles, Newels & Infill Panels (depth / width / length)

016. **Turned Spindle**
41mm x 41mm x 0.9m
Code: g041041TTS
017. **Stop Chamfered Spindle**
41mm x 41mm x 0.9m
Code: g041041SCTS
018. **Square Spindle**
41mm x 41mm x 0.9m
Code: g041041TS
019. **Modern Spindle**
With 45 degree chamfer at the base
41mm x 41mm x 1.0m
Code: g041041
020. **Turned Newel**
83mm x 83mm
Lengths: 1.25m, 1.5m
Code: g083083TT
90mm x 90mm x 1.25m
Code: g090090TTN
021. **Stop Chamfered Newel**
83mm x 83mm
Lengths: 1.2m, 1.5m
Code: g083083SCT
90mm x 90mm x 1.2m
Code: g090090SCTN
022. **Square Newel**
83mm x 83mm x 1.2m
Code: g083083TNP
90mm x 90mm x 1.2m
Code: g090090TNP
023. **Patrice Newel**
83mm x 83mm x 1.2m
Code: g083083TPN
83mm x 83mm x 1.5m
Code: g083083TPN15
024. **Chevron Panel**
32mm x 760mm x 1.13m
Code: mrgINFILLCHEV
025. **Sunset Panel**
32mm x 760mm x 1.13m
Code: mrgINFILLSUN





024.

025.

Deckorators™ System

026. **Classic Balusters**
19mm x 19mm x 0.66m
Available in Black
Code: gDECBK10
- 026a. **Classic Balusters - Connectors**
Code: gDECCONEC
- 026b. **Classic Balusters - Stair Connectors**
Code: gDECSTAIRC
027. **Baroque Balusters**
5mm x 25mm x 0.82m
Available in Black
Code: gDECBK05
028. **Arc Balusters**
5mm x 25mm x 0.82m
Available in Black
Code: gDECARKBLK
029. **5 Panel Safety Glass Balusters Pack**
13mm x 100mm x 0.82m
Available in Clear
Code: gDECGLASSC
030. **Deckorators™ Post Cap**
Black cap that works with Square & Stop Chamfered Newel Posts
Code: gDECBKCAP



Brackets, Finials, Stair Stringers & Treatments

031. **Composite Bench Bracket**
Code: gDZBBPTG01
032. **Composite Stair Bracket**
Code: gDZSBPTG01
033. **Ball Cap**
Code: gaBALLCAP
034. **Patrice Cap**
Code: gaPATCAP110
035. **Temple Cap**
Code: gaTEMPLECAP125
036. **End-grain Preservative (1.0L)**
Must be applied to any cuts or notches made to softwood timber during construction to maintain the integrity of the preservative treatment.
Code: gtENDCOAT1

